Research (Drs. Nishino and Nonaka), National Institute of Neuroscience, National Center of Neurology and Psychiatry; and Second Department of Internal Medicine (Dr. Katayama), Nippon Medical School, Tokyo, Japan.

Received November 30, 1999. Accepted in final form April 26, 2000.

Address correspondence and reprint requests to Dr. S. Amemiya, Division of Neurology, Second Department of Internal Medicine, Nippon Medical School, 1-1-5, Sendagi, Bunkyo-ku, Tokyo 113-8603, Japan; e-mail: amemiya@wc4.so-net.ne.jp

Copyright © 2000 by AAN Enterprises, Inc.

References

1. Yamazaki M, Igarashi H, Hamamoto M, Miyazaki T, Nonaka I. A case of mitochondrial encephalomyopathy with schizophrenic psychosis, dementia and neuroleptic malignant syndrome. *Rinsho Shinkeigaku* 1991;31:1219–1223.
2. Koga Y, Nonaka I, Sunohara N, Yamanaka R, Kumagai K. Variability in the activity of respiratory chain enzymes in mitochondrial myopathies. *Acta Neuropathol* 1988;76:135–141.
3. Goto Y, Koga Y, Horai S, Nonaka I. Chronic progressive external ophthalmoplegia: a correlative study of mitochondrial DNA deletions and their phenotypic expression in muscle biopsies. *J Neurol Sci* 1990;100:63–69.
4. Nishino I, Seki A, Maegaki Y, et al. A novel mutation in the mitochondrial tRNA-Thr gene associated with a mitochondrial encephalomyopathy. *Biochem Biophys Res Commun* 1996;225:180–185.
5. Moraes CT, Ciacci F, Bonilla E, et al. Two novel pathogenic mitochondrial DNA mutations affecting organelle number and protein synthesis. *J Clin Invest* 1993;92:2906–2915.
6. Sato W, Hayasaka K, Shoji Y, et al. A mitochondrial tRNA-Leu(UUR) mutation with mitochondrial encephalomyopathy, lactic acidosis, and stroke like episodes (MELAS). *Biochem Mol Biol Int* 1994;33:1055–1061.
7. Kawanami Y, Sakuta R, Hashimoto K, et al. Mitochondrial myopathy with progressive decrease in mitochondrial tRNA-Leu(UUR) mutant genomes. *Ann Neurol* 1993;35:370–373.

NeuroImages

Figure. (A) Bilateral Achilles tendon xanthomas. (B) Axial FLAIR MRI images show abnormally hyperintense signal involving the corticospinal tracts at the brainstem level, the white matter of both internal capsules, and the peritrigonal white matter.

Cerebrotendinous xanthomatosis

James D. Fleck, MD, José Biller, MD, Vincent P. Mathews, MD, Indianapolis, IN

A 58-year-old woman presented with a several-year history of progressive gait difficulties. Her medical history was noteworthy for bilateral cataracts diagnosed in her thirties with subsequent surgical replacement. Physical examination showed nodular thickening of both Achilles tendons and high-arched feet (figure, A). Neurologic examination showed mild spasticity in the lower extremities, normal power, diffuse hyperreflexia, a left Babinski sign, moderate truncal ataxia, mild lower extremity ataxia, stocking distribution sensory loss to light touch and proprioception in the legs, and a markedly wide-based and ataxic gait. Neuropsychological testing showed widespread neurocognitive deficits with poor attention and concentration

and seriously impaired memory. Plasma cholestanol was elevated (1.6 mg/dL; reference range, 0.2 ± 0.2 mg/dL). She was treated with chenodeoxycholic acid.

Cerebrotendinous xanthomatosis is a rare autosomal recessive lipid storage disease that results in excessive cholestanol deposition in body tissues, including the central and peripheral nervous systems. Its biochemical basis is a defective activity of the mitochondrial enzyme sterol 27-hydroxylase that results in defective bile acid synthesis. Long-term treatment with oral chenodeoxycholic acid typically corrects the biochemical abnormalities and may improve neurologic function.¹

1. Berginer VM, Salen G, Shefer S. Long-term treatment of cerebrotendinous xanthomatosis with chenodeoxycholic acid. *N Engl J Med* 1984;311:1649–1652.

Neurology[®]

Cerebrotendinous xanthomatosis

Neurology 2000;55;601

DOI 10.1212/WNL.55.4.601

This information is current as of August 22, 2000

Updated Information & Services

including high resolution figures, can be found at:
<http://n.neurology.org/content/55/4/601.full>

Citations

This article has been cited by 2 HighWire-hosted articles:
<http://n.neurology.org/content/55/4/601.full##otherarticles>

Permissions & Licensing

Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at:
http://www.neurology.org/about/about_the_journal#permissions

Reprints

Information about ordering reprints can be found online:
<http://n.neurology.org/subscribers/advertise>

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright . All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.