Figure 1. In the basal cistern, CT scans show homogeneous isodensity elongated masses, surrounded by flecks of high density. Large hematoma is seen in the left putamen.

Figure 2. On MR angiography, bilateral middle cerebral arteries are tortuous, elongated, and dilated.

Hemorrhage with dolichoectatic middle cerebral arteries

Takashi Tokunaga, MD, and Toru Yamamoto, MD, Osaka, Japan

A 58-year-old woman was admitted to our hospital with lethargy, right hemiplegia, and right homonymous hemianopia. An emergency CT showed a large hemorrhage in the left putamen and distorted bilateral middle cerebral arteries with numerous

calcified deposits in their walls (figure 1), which was confirmed by MR angiography and conventional angiogram (figure 2). Laboratory investigation disclosed no significant risk factors except for hypertension. Over several months, she recovered considerably.

Dolichoectatic intracranial artery is known to cause ischemia¹ and rarely subarachnoid hemorrhage from the affected arterial wall.² Notably, there has been no report of intracerebral hemorrhage associated with this condition.

Address correspondence and reprint requests to Dr. T. Tokunaga, Department of Neurology, Osaka Saiseikai Nakatsu Hospital, 2-10-39 Shibata, Kitaku, Osaka 530-0012, Japan; e-mail: neuro@nakatsu.saiseikai.or.jp

1. Ince B, Petty GW, Brown RD, Chu CP, Sicks JD, Whisnant JP. Dolichoectasia of the intracranial arteries in patients with first ischemic stroke: a population-based study. *Neurology* 1998;50:1694–1698.
2. Goldstein SJ, Tibbs PA. Recurrent subarachnoid hemorrhage complicating cerebral arterial ectasia. *J Neurosurg* 1981;55:139–142.

Neurology®

Hemorrhage with dolichoectatic middle cerebral arteries

Takashi Tokunaga and Toru Yamamoto

Neurology 2003;61;E4

DOI 10.1212/01.WNL.0000064161.61921.CA

This information is current as of July 21, 2003

Updated Information & Services

including high resolution figures, can be found at:
<http://n.neurology.org/content/61/2/E4.full>

References

This article cites 2 articles, 1 of which you can access for free at:
<http://n.neurology.org/content/61/2/E4.full#ref-list-1>

Subspecialty Collections

This article, along with others on similar topics, appears in the following collection(s):
All Cerebrovascular disease/Stroke
http://n.neurology.org/cgi/collection/all_cerebrovascular_disease_stroke
All Imaging
http://n.neurology.org/cgi/collection/all_imaging
CT
<http://n.neurology.org/cgi/collection/ct>
Intracerebral hemorrhage
http://n.neurology.org/cgi/collection/intracerebral_hemorrhage
MRI
<http://n.neurology.org/cgi/collection/mri>

Permissions & Licensing

Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at:
http://www.neurology.org/about/about_the_journal#permissions

Reprints

Information about ordering reprints can be found online:
<http://n.neurology.org/subscribers/advertise>

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright . All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.