Teaching Neurolmage:

Sensory level in parietal lobe lesion

Young-Mok Song, MD
Jae Il Kim, MD
Geun Ho Lee, MD
Chang-Min Lee, MD

Address correspondence and
reprint requests to Dr. Young-
Mok Song, Department of
Neurology, Dankook University
Hospital, 16-5, Anseo-Dong,
Cheonan, Chungnam, 330-715,
South Korea
ymsong@medimail.co.kr

A 59-year-old man presented with a sensory level on the right trunk. He noted hypesthesia and tingling sensation on his right thigh and gluteal areas 5 days previously. Neurologic examination revealed that all primary sensory modalities including touch, pain, temperature, vibration, and position senses were markedly diminished below T10 on the right side. Mild weakness of the right proximal leg was also observed. During hospitalization, his sensory deficits extended to the upper body areas up to the face (figure 1), which was followed by progressive leg, arm, and facial paresis on the right side. Brain MRI performed when hemisensory loss occurred showed a mass lesion mainly involving the postcentral gyrus of the parietal lobe (figure 2). The lesion was proven to be a brain abscess caused by *Klebsiella pneumoniae* in the culture study from the burr-hole drainage specimen. Although the finding of a sensory level usually indicates a spinal cord or lower brainstem lesion,¹ it can result from a lesion in the parietal lobe.² The sensory level at the thoracic dermatome might be attributable to the parietal lesion involving the sensory areas for the leg and the lower part of the trunk sparing the remaining upper part of the trunk. As the lesion expanded to adjacent receptive areas for the upper trunk, arm, and face, the sensory level ascended gradually, and all hemibody was finally involved.

Received November 21, 2006. Accepted in final form February 5, 2007.

Figure 1 Features of the progressive sensory deficits

The patient developed hypesthesia and paresthesia along the L2-L3 dermatome followed by a sensory level to pain, temperature, vibration, and position sensation on the right trunk. The sensory level progressively ascended to the upper level of dermatome, finally leading to hemisensory loss. HD = hospitalization day.

Figure 2 Brain T1-weighted MRI

(A) Brain T1-weighted MRI with gadolinium enhancement shows a round shaped mass lesion with rim enhancement and perilesional edema mainly involving the postcentral gyrus of the left parietal lobe (the arrow indicates the central sulcus). (B) At the coronal view, the lesion is located in the upper medial portion of the left parietal lobe.

From the Department of Neurology, Dankook University Hospital, Cheonan, South Korea.
Disclosure: The authors report no conflicts of interest.

REFERENCES

1. Matsumoto S, Okuda B, Imai T, Kameyama M. A sensory level on the trunk in lower lateral brainstem lesions. *Neurology* 1988;38:1515–1519.
2. Breuer AC, Cuervo H, Selkoe DJ. Hyperpathia and sensory level due to parietal lobe arteriovenous malformation. *Arch Neurol* 1981;38:722–724.

Neurology[®]

Teaching *NeuroImage*: Sensory level in parietal lobe lesion

Young-Mok Song, Jae Il Kim, Geun Ho Lee, et al.

Neurology 2007;68;E38-E39

DOI 10.1212/01.wnl.0000264934.56336.ae

This information is current as of June 11, 2007

Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/68/24/E38.full
References	This article cites 2 articles, 1 of which you can access for free at: http://n.neurology.org/content/68/24/E38.full#ref-list-1
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): All Clinical Neurology http://n.neurology.org/cgi/collection/all_clinical_neurology All Neuromuscular Disease http://n.neurology.org/cgi/collection/all_neuromuscular_disease MRI http://n.neurology.org/cgi/collection/mri
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://www.neurology.org/about/about_the_journal#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/subscribers/advertise

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright . All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.