Superficial siderosis of the CNS associated with multiple cerebral cavernous malformation

Figure Axial MR T2-weighted images (A, B) and susceptibility-weighted images (C, D) demonstrating multiple low signal intensity lesions in the bilateral frontal, parietal, temporal lobes and basal ganglia

The images also show superficial hypointensity around the sylvian fissures, cerebral cortical sulci, and the anterior part of the interhemispheric fissure (arrow).

A 19-year-old man presented with a sudden onset of headache and vomiting for 3 days. Neurologic examination was unremarkable but revealed a slightly stiff neck. MRI showed multiple cerebral cavernous malformations in the brain. T2-weighted and susceptibility-weighted images exhibited linear hypointensity around the brain surface, indicating a deposition of hemosiderin consistent with superficial siderosis (figure).

Superficial siderosis of the CNS is a rare condition caused by hemosiderin deposition in the subpial layer of the brain and spinal cord. Such a deposition is due to repeated chronic subarachnoid hemorrhage.¹ Cavernous malformations were less frequently reported as a cause of superficial siderosis.²

Jin Wang, MD, Xiangyang Gong, MD, PhD, Hangzhou, China

Disclosure: The authors report no disclosures.

Address correspondence and reprint requests to Dr. Jin Wang, Department of Neurology, Sir Run Run Shaw Hospital, Zhejiang University School of Medicine, Sir Run Run Shaw Institute of Clinical Medicine of Zhejiang University, 3 Qingchun Road, Hangzhou, 310016, China; wangjinjoy@hotmail.com

1. Kumar N, Cohen-Gadol AA, Wright RA, Miller GM, Piepgras DG, Ahlskog JE. Superficial siderosis. *Neurology* 2006;66:1144–1152.
2. Li KW, Haroun RI, Clatterbuck RE, Murphy K, Rigamonti D. Superficial siderosis associated with multiple cavernous malformations: report of three cases. *Neurosurgery* 2001;48:1147–1150.

Neurology®

Superficial siderosis of the CNS associated with multiple cerebral cavernous malformation

Jin Wang and Xiangyang Gong

Neurology 2009;72;1187

DOI 10.1212/01.wnl.0000345359.14275.f2

This information is current as of March 30, 2009

Updated Information & Services

including high resolution figures, can be found at:
<http://n.neurology.org/content/72/13/1187.full>

References

This article cites 2 articles, 1 of which you can access for free at:
<http://n.neurology.org/content/72/13/1187.full#ref-list-1>

Subspecialty Collections

This article, along with others on similar topics, appears in the following collection(s):

Intracerebral hemorrhage

http://n.neurology.org/cgi/collection/intracerebral_hemorrhage

MRI

<http://n.neurology.org/cgi/collection/mri>

Secondary headache disorders

http://n.neurology.org/cgi/collection/secondary_headache_disorders

Subarachnoid hemorrhage

http://n.neurology.org/cgi/collection/subarachnoid_hemorrhage

Permissions & Licensing

Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at:

http://www.neurology.org/about/about_the_journal#permissions

Reprints

Information about ordering reprints can be found online:

<http://n.neurology.org/subscribers/advertise>

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright . All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.