Weak hands from a flexed neck

Figure T2 sagittal cervical spine MRI in neutral position (A) and neck flexion (B)

In neutral position, mild cord atrophy is noted. With neck flexion, anterior displacement of the dural sac and cord at the C6 level was seen. Enlargement of the posterior epidural space with venous engorgement was present (arrow).

An 18-year-old man presented with 2 years of progressive hand weakness. Two routine cervical MRIs were normal. Examination demonstrated weakness and atrophy in left C7–8 myotomes, and weakness in right C7–8 myotomes. The examination was otherwise normal. EMG demonstrated fibrillation potentials and neurogenic motor unit potentials in C7–T1 myotomes bilaterally. The clinical features were characteristic of juvenile distal segmental muscular atrophy (Hirayama disease). Cervical MRI with neck flexion was typical of this disorder, exemplifying the importance of flexion images¹ (figure). Treatment includes observation, cervical collar, or cervical fusion. Response is controversial; however, progression typically ceases spontaneously after several years.

Elliot L. Dimberg, MD, and Devon I. Rubin, MD, Jacksonville, FL

Disclosure: Dr. Dimberg has received honoraria from ePocrates and Harris Interactive. Dr. Rubin has received royalties from the American Academy of Neurology and American Association of Neuromuscular and Electrodiagnostic Medicine on the sale of 2 educational CD-ROMs (*Sounds of EMG* and *EMG Sound Simulator and Synthesizer*) and honorarium for authorship in *UpToDate*.

Address correspondence and reprint requests to Dr. Devon I. Rubin, 4500 San Pablo Road, Jacksonville, FL 32224; rubin.devon@mayo.edu

1. Hirayama K, Tokumaru Y. Cervical dural sac and spinal cord in juvenile muscular atrophy of distal upper extremity. *Neurology* 2000;54:1922–1926.

Neurology[®]

Weak hands from a flexed neck

Elliot L. Dimberg and Devon I. Rubin

Neurology 2009;73;996

DOI 10.1212/WNL.0b013e3181b879d3

This information is current as of September 21, 2009

Updated Information & Services

including high resolution figures, can be found at:
<http://n.neurology.org/content/73/12/996.full>

References

This article cites 1 articles, 1 of which you can access for free at:
<http://n.neurology.org/content/73/12/996.full#ref-list-1>

Subspecialty Collections

This article, along with others on similar topics, appears in the following collection(s):

All Spinal Cord

http://n.neurology.org/cgi/collection/all_spinal_cord

Anterior nerve cell disease

http://n.neurology.org/cgi/collection/anterior_nerve_cell_disease

Permissions & Licensing

Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at:

http://www.neurology.org/about/about_the_journal#permissions

Reprints

Information about ordering reprints can be found online:
<http://n.neurology.org/subscribers/advertise>

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright . All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.