cause, as we suggest, individuals may harbor similar amounts of pathology but without the same effects on the brain.

This phenomenon must be rooted in different life experiences or exposures as well as genetic endowments that modulate the relationship between pathology and clinical symptoms.

Deniz Erten-Lyons, Jeffrey Kaye, Portland, OR

Disclosure: Dr. Erten-Lyons is funded by the Department of Veterans Affairs (VA) by a Career Development Award, provides clinical assessment and care for patients, and receives reimbursement for these activities through Medicare or commercial insurance plans amounting to less than \$2,000/year. At the Portland VA Medical Center, she is salaried to see patients. Dr. Kaye is funded for research by the Department of Veterans Affairs by a Merit Review grant, and NIH grants AG008017, AG024059, AG024978, AG026916, AG024826, AG010483, AG024904, and AG016976. The research centers he directs conducts research supported by NIH, Elan Corporation, and Intel Corporation and previously by Myriad Pharmaceuticals. Dr. Kaye provides clinical assessment and care for patients and receives reimbursement for these activities through Medicare or commercial insurance plans amounting to less than \$3,000 per year. At the Portland VA Medical Center, he is salaried to see patients. Dr. Kaye serves as an unpaid Chair for the Work

Group on Technology, for the National Alzheimer's Association, and as an unpaid Commissioner for the Center for Aging Services and Technologies based in Washington, DC. Dr. Kaye receives a royalty from sales of the book *Evidence-Based Dementia Practice*. Dr. Kaye serves on the editorial advisory board of the journal *Alzheimer's & Dementia*.

Copyright © 2009 by AAN Enterprises, Inc.

1. Erten-Lyons D, Woltjer RL, Dodge H, et al. Factors associated with resistance to dementia despite high Alzheimer disease pathology. *Neurology* 2009;72:354–360.
2. Schneider JA, Arvanitakis Z, Bang W, Bennett DA. Mixed brain pathologies account for most dementia cases in community-dwelling older persons. *Neurology* 2007;69:2197–2204.
3. Colcombe SJ, Erickson KI, Scalf PE, et al. Aerobic exercise training increases brain volume in aging humans. *J Gerontol A Biol Sci Med Sci* 2006;61:1166–1170.
4. Draganski B, Gaser C, Kempermann G, et al. Temporal and spatial dynamics of brain structure changes during extensive learning. *J Neurosci* 2006;26:6314–6317.
5. Fotuhi M, Mohassel P, Yaffe K. Fish consumption, long-chain omega-3 fatty acids and risk of cognitive decline or Alzheimer disease: a complex association. *Nat Clin Pract Neurol* 2009;5:140–152.

CORRECTION

Normal and mutant *HTT* interact to affect clinical severity and progression in Huntington disease

In the article “Normal and mutant *HTT* interact to affect clinical severity and progression in Huntington disease” by N.A. Aziz et al. (*Neurology*® 2009;73:1280–1285), the complete list of members of the EHDN Registry Study Group was omitted from the printed article. The listing is available as a data supplement to the article (on the *Neurology*® Web site at www.neurology.org). The authors regret the error.

Neurology[®]

Normal and mutant *HTT* interact to affect clinical severity and progression in Huntington disease

Neurology 2009;73;1608
DOI 10.1212/WNL.0b013e3181c5af98

This information is current as of November 9, 2009

Updated Information & Services

including high resolution figures, can be found at:
<http://n.neurology.org/content/73/19/1608.full>

Permissions & Licensing

Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at:
http://www.neurology.org/about/about_the_journal#permissions

Reprints

Information about ordering reprints can be found online:
<http://n.neurology.org/subscribers/advertise>

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright . All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.