Teaching NeuroImages:

A look beneath the surface in a “typical” thalamic hemorrhage

B. Volbers, MD
D. Staykov, MD
I. Wagner, MD
A. Doerfler, MD
S. Schwab, MD
J. Bardutzky, MD

Address correspondence and reprint requests to Dr. Bastian Volbers, Neurology Department, University of Erlangen, Schwabachanlage 6, 91054 Erlangen, Germany
bastian.volbers@uk-erlangen.de

Figure Unusual cause of thalamic hemorrhage

(A) CT at admission showed a typical thalamic intracerebral hemorrhage with ventricular involvement. (B) Sagittal gadolinium T1 MRI at day 5 disclosed a thrombosis of the straight sinus (arrow) with a dilated, blood-dammed internal cerebral vein draining the thalamus as the cause of the bleeding.

Imaging beyond routine CT in intracerebral hemorrhage (ICH) is most likely to reveal underlying pathology in patients with lobar ICH, younger age, or no history of hypertension.¹ In hypertensive individuals with typical ganglionic ICH, additional imaging is usually not considered.² A 75-year-old patient with hypertension was admitted with acute onset of hemiparesis. CT revealed thalamic ICH (figure, A). Within a study, the patient underwent additional MRI (figure, B), which disclosed sinus thrombosis. Typical symptoms of sinus thrombosis (headache, papilledema) were absent. After extensive diagnostic workup, infection-related exsiccosis was assumed causative. The patient received anticoagulation.

In this case, MRI not indicated clinically had therapeutic implications.

REFERENCES

1. Delgado Almandoz JE, Schaefer PW, Forero NP, et al. Diagnostic accuracy and yield of multidetector CT angiography in the evaluation of spontaneous intraparenchymal cerebral hemorrhage. *AJNR Am J Neuroradiol* 2009;30:1213–1221.
2. Broderick J, Connolly S, Feldmann E, et al. Guidelines for the management of spontaneous intracerebral hemorrhage in adults: 2007 update: a guideline from the American Heart Association/American Stroke Association Stroke Council, High Blood Pressure Research Council, and the Quality of Care and Outcomes in Research Interdisciplinary Working Group. *Stroke* 2007;38:2001–2023.

Neurology®

Teaching *NeuroImages*: A look beneath the surface in a "typical" thalamic hemorrhage

B. Volbers, D. Staykov, I. Wagner, et al.

Neurology 2010;75:e40

DOI 10.1212/WNL.0b013e3181eee4c2

This information is current as of August 23, 2010

Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/75/8/e40.full
References	This article cites 2 articles, 2 of which you can access for free at: http://n.neurology.org/content/75/8/e40.full#ref-list-1
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): Intracerebral hemorrhage http://n.neurology.org/cgi/collection/intracerebral_hemorrhage MRI http://n.neurology.org/cgi/collection/mri
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://www.neurology.org/about/about_the_journal#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/subscribers/advertise

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright . All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.