In Focus

Spotlight on the February 8 Issue

Robert A. Gross, MD, PhD, FAAN
Editor-in-Chief, *Neurology*®

Improving CSF biomarker accuracy in predicting prevalent and incident Alzheimer disease

The authors identified variables that predicted prevalent dementia of the Alzheimer type (DAT) when considered together with CSF biomarkers in a cross-sectional sample of 201 participants with normal cognition and 46 with DAT. Predictive accuracy of CSF biomarkers was improved by including age, education, and normalized whole brain volumes in analyses.

See p. 501; Editorial, p. 496

Default mode network connectivity in stable vs progressive mild cognitive impairment

The authors acquired fMRI scans during a face-name memory task from a cohort of 68 subjects. These data suggest that different functional brain connectivity endophenotypes for "early" vs "late" mild cognitive impairment correlate with different baseline memory scores and different rates of progression.

See p. 511; Editorial, p. 498

Reorganization in cognitive networks with progression of multiple sclerosis: Insights from fMRI

Patients with a clinically isolated syndrome, relapsing-remitting

MS, secondary progressive MS, and 28 healthy controls underwent a comprehensive neuropsychological test battery, clinical examination, structural imaging, and fMRI. These findings suggest approaches to increase cognitive reserve to counteract MS-related tissue damage.

See p. 526

Sun exposure and vitamin D are independent risk factors for CNS demyelination

In this study of 4 Australian regions, cases and controls were compared based on past and recent sun exposure and vitamin D status. Controls were matched to cases on age, sex, and study region, without CNS demyelination. The data suggest that sun exposure and vitamin D levels should be evaluated in clinical trials for multiple sclerosis prevention.

See p. 540

Video-EEG monitoring in newborns with hypoxic-ischemic encephalopathy treated with hypothermia

The authors monitored 41 newborns with hypoxic-ischemic encephalopathy undergoing therapeutic hypothermia. EEG background correlated well with early MRI findings. Continuous monitoring allowed accurate identification of seizures, nearly half of which were subclinical, providing valuable prognostic information.

See p. 556

Stress hormones predict cerebrovascular re-events after transient ischemic attacks

This study assessed prognostic reliability of 2 distinct stress hormones, copeptin and cortisol, in 107 patients after transient ischemic attack (TIA). Confirmation in future studies will be needed, but the data suggest routine copeptin measurement (though not cortisol) may be an additional tool for risk stratification and targeted resource allocation after TIA.

See p. 563

CLINICAL/SCIENTIFIC NOTES

Indolent course of progressive multifocal leukoencephalopathy during natalizumab treatment in MS

A 30-year-old previously healthy woman presented with walking difficulties, and MS was diagnosed based on multiple MR brain and spinal cord lesions; treatment included interferon- β -1a, glatiramer acetate, and natalizumab. The patient developed cognitive problems and, later, delirium. MRI showed bihemispheric and pontine abnormalities consistent with PML, with an unusually indolent course.

See p. 574

Comment from David B. Clifford: "Compulsive clinical vigilance with aggressive evaluation of new symptoms or signs appears still to be the most practical approach to risk minimization during natalizumab therapy."

See p. 574

NB: Your next trial issue of *Neurology: Clinical Practice* will accompany the February 15 issue of the journal. Please take a few minutes to look it over and provide feedback. And take a look at our new Comment feature, which appears on page 574 in this issue.

Podcasts can be accessed at www.neurology.org

Neurology[®]

Spotlight on the February 8 Issue
Neurology 2011;76;495
DOI 10.1212/WNL.0b013e31820c673d

This information is current as of February 7, 2011

Updated Information & Services

including high resolution figures, can be found at:
<http://n.neurology.org/content/76/6/495.full>

Permissions & Licensing

Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at:
http://www.neurology.org/about/about_the_journal#permissions

Reprints

Information about ordering reprints can be found online:
<http://n.neurology.org/subscribers/advertise>

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright Copyright © 2011 by AAN Enterprises, Inc.. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.