Bilateral vertebral artery dissection, agenesis of both ICAs, and connective tissue aberrations

Figure 1 MRI with time-of-flight angiography shows bilateral internal carotid artery agenesis, vertebral artery dissections, and ischemias in both middle artery territories

Time-of-flight MRI angiography shows absence of both internal carotid arteries (A, upper arrows) and enlarged vertebral arteries (VAs) providing compensatory blood supply (lower arrows). It further reveals bilateral VA dissections, with cervical dissection in segment V2 on the right (B) and in segment V3 on the left (C). Ischemic lesions in both middle artery territories are visible (D, E).

A 35-year-old woman presented with acute signs of stroke (appendix e-1 on the *Neurology*® Web site at www.neurology.org). After initial CT with angiography, MRI with time-of-flight angiography confirmed agenesis of both internal carotid arteries (ICAs; figure 1A). It revealed bilateral vertebral artery (VA) dissections and ischemias in both middle artery territories (figure 1, A–E). Skin biopsy microscopy (figure 2) was consistent with ultrastructural

Figure 2 Electron microscopy of the skin biopsy shows evidence of ultrastructural connective tissue aberrations

Electron microscopy of the skin biopsy (A, magnification $\times 35,000$) shows loosely packed collagen bundles with caliber variability of fibrils (arrows) consistent with an ultrastructural connective tissue syndrome. (B) Historical control for comparison purposes.

Supplemental data at
www.neurology.org

connective tissue disease (uCTD), for which no further evidence was found apart from mild hypermobility of the finger joints. The underlying uCTD with structural instability of the arterial walls and the increased blood flow in the vertebrobasilar circulation due to the bilateral ICA agenesis may have promoted VA dissection.

Christina M. Lill, MD, Kristin Günther-Kunkel, MD, Heinrich Hoch, MD, Friedemann Paul, MD, Caspar Grond-Ginsbach, PhD, Ingrid Hausser, PhD, Frauke Zipp, MD

From the Rhine Main Neuroscience Network (rmn2), Johannes Gutenberg University Center, Department of Neurology (C.M.L., F.Z.), Mainz; Neuropsychiatric Genetics Group, Department of Vertebrate Genomics, Max Planck Institute for Molecular Genetics (C.M.L.), Berlin; Institute for Neuroradiology, Helios-Klinikum Berlin-Buch (K.G.-K., H.H.), Berlin; Charité–University Medicine Berlin (F.P.), Berlin; Department of Neurology (C.G.-G.), the Department of Dermatology and Electron Microscopy Core Facility (I.H.), University of Heidelberg, Heidelberg, Germany.

Author contributions: Study concept and design: Drs. Lill and Zipp. Acquisition of data, analysis and interpretation: Drs. Lill, Günther-Kunkel, Hoch, Paul, Grond-Ginsbach, Hausser, and Zipp. Writing of first manuscript draft: Dr. Lill. Critical revision of the manuscript: Drs. Hoch, Hausser, and Zipp.

Study funding: No targeted funding reported.

Disclosure: The authors report no disclosures relevant to the manuscript. Go to Neurology.org for full disclosures.

Correspondence to Dr. Zipp: frauke.zipp@unimedizin-mainz.de

NeuroImages Are Free at www.neurology.org!

All *Neurology*[®] NeuroImages can now be freely accessed on the *Neurology* Web site. See them at www.neurology.org, where you can also sign up for journal email alerts and check out other online features, including the Resident & Fellow section, *Neurology: Clinical Practice*, and the weekly *Neurology* Podcasts.

Neurology®

Bilateral vertebral artery dissection, agenesis of both ICAs, and connective tissue aberrations

Christina M. Lill, Kristin Günther-Kunkel, Heinrich Hoch, et al.

Neurology 2013;80;1442-1443

DOI 10.1212/WNL.0b013e31828c2f8e

This information is current as of April 8, 2013

Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/80/15/1442.full
Supplementary Material	Supplementary material can be found at: http://n.neurology.org/content/suppl/2013/04/07/80.15.1442.DC1
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): All Cerebrovascular disease/Stroke http://n.neurology.org/cgi/collection/all_cerebrovascular_disease_stroke Carotid artery dissection http://n.neurology.org/cgi/collection/carotid_artery_dissection MRI http://n.neurology.org/cgi/collection/mri Stroke in young adults http://n.neurology.org/cgi/collection/stroke_in_young_adults
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://www.neurology.org/about/about_the_journal#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/subscribers/advertise

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2013 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.