Teaching *NeuroImages*: Swollen T1 nerve root in neurogenic thoracic outlet syndrome

Zeliha Matur, MD, MS
Fatih Dikici, MD
Artur Salmashoğlu, MD
Serra Sencer, MD
Barış Baslo, MD
Emre Öge, MD

Correspondence to
Dr. Matur:
zelihamatur@yahoo.co.uk

Figure Atrophy in the right upper extremity and MRI lesion

(A) Thenar and mild forearm atrophy on the right side. MRI revealed T2 hyperintense (coronal [B] and axial [C] short T1 inversion recovery T2-weighted) and T1 iso/hypointense nonenhancing (D, fast spin-echo T1-weighted with IV gadolinium) fusiform focal expansion of the proximal extraforaminal segment of the right T1 root.

A 17-year-old girl without any history of considerable trauma or previous disease was admitted with weakness and wasting in the right forearm and hand, more marked on the thenar eminence (figure). EMG revealed unrecordable medial antebrachial cutaneous sensory and low-amplitude median motor responses (recorded from thenar muscles) along with chronic neurogenic changes in the hand muscles. MRI showed a fusiform focal expansion of the right T1 root (figure). Neurogenic thoracic outlet syndrome (NTOS) was diagnosed and surgically decompressed.¹

The reported MRI findings in NTOS are generally compression/displacement of the lower trunk elements. Nerve root swelling proximal to the compression site, probably caused by endoneurial fluid accumulation, is a rare observation.²

AUTHOR CONTRIBUTIONS

Dr. Zeliha Matur: patient care, drafting and revising the manuscript. Dr. Fatih Dikici: patient care, revising the manuscript. Dr. Artur Salmashoğlu: examination of the patient. Dr. Serra Sencer: examination of the patient. Dr. Barış Baslo: examination of the patient. Dr. Emre Öge: patient care, reviewing the manuscript.

STUDY FUNDING

No targeted funding reported.

DISCLOSURE

The authors report no disclosures relevant to the manuscript. Go to Neurology.org for full disclosures.

REFERENCES

1. Willbourn AJ. Thoracic outlet syndromes. *Neurol Clin* 1999;17: 477–497.
2. Filler AG, Maravilla KR, Tsuruda JS. MR neurography and muscle MR imaging for image diagnosis of disorders affecting the peripheral nerves and musculature. *Neurol Clin* 2004;22: 643–682.

Neurology®

Teaching *NeuroImages*: Swollen T1 nerve root in neurogenic thoracic outlet syndrome

Zeliha Matur, Fatih Dikici, Artur Salmaslioglu, et al.

Neurology 2013;80:e247

DOI 10.1212/WNL.0b013e318295d687

This information is current as of June 3, 2013

Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/80/23/e247.full
References	This article cites 2 articles, 0 of which you can access for free at: http://n.neurology.org/content/80/23/e247.full#ref-list-1
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): EMG http://n.neurology.org/cgi/collection/emg MRI http://n.neurology.org/cgi/collection/mri Peripheral neuropathy http://n.neurology.org/cgi/collection/peripheral_neuropathy
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://www.neurology.org/about/about_the_journal#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/subscribers/advertise

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2013 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.