Teaching *NeuroImages*: IgG4-related orbital disease and enlargement of the trigeminal nerve branches

Romain Deschamps, MD
Lydia Deschamps, MD
Catherine Vignal, MD
Marc Putterman, MD
Olivier Galatoire, MD
Olivier Gout, MD

Correspondence to
Dr. Romain Deschamps:
rdeschamps@fo-rothschild.fr

Figure 1 Brain MRI findings

STIR fat-saturated T2-weighted coronal MRI demonstrates thickening of bilateral infraorbital (arrow; adjacent to the enlarged inferior rectus) and left frontal (arrowhead; near the swollen left superior rectus and levator complex) nerves.

Figure 2 Pathologic findings of the biopsy from the left infraorbital canal

Immunoglobulin G 4 immunohistochemistry shows numerous plasma cells stained positive (arrows) (immunoperoxidase, original magnification $\times 200$).

A 54-year-old man had a 5-year history of painless bilateral eyelid swelling, proptosis, and diplopia. MRI showed enlargement of extraocular muscles, lacrimal gland, and divisions of the trigeminal nerve (figure 1). Biopsy from

the left infraorbital canal demonstrated lymphoplasmacytic infiltrate and fibrosis. Mean number of immunoglobulin G (IgG)4+ cells was 155 per high-power field and ratio of IgG4+/IgG+ cells was 89% (figure 2).

Download teaching slides:
www.neurology.org

From the Departments of Neurology (R.D., O. Gout) and Ophthalmology (C.V., O. Galatoire), Fondation Ophtalmologique Adolphe de Rothschild; Department of Pathology (L.D.), Bichat Hospital, APHP; and Department of Pathology (M.P.), Necker-Enfants Malades Hospital, APHP, Paris, France. Go to Neurology.org for full disclosures. Funding information and disclosures deemed relevant by the authors, if any, are provided at the end of the article.

Serum IgG4 concentration was 878 mg/dL (normal range 4–86 mg/dL). Symptoms resolved with steroids. The patient relapsed during tapering and azathioprine was added. IgG4-related disease is characterized by IgG4-positive cells and lymphocyte infiltration into various organs, including orbital tissues. Thickening of branches of the trigeminal nerve is highly suggestive of IgG4-related disease.^{1,2}

AUTHOR CONTRIBUTIONS

Dr. R. Deschamps: corresponding author; drafting/revising the manuscript for content, including medical writing for content. Drs. L. Deschamps, Vignal, Putterman, Galatoire, and Gout: drafting/revising the manuscript for content, including medical writing for content.

STUDY FUNDING

No targeted funding reported.

DISCLOSURE

The authors report no disclosures relevant to the manuscript. Go to Neurology.org for full disclosures.

REFERENCES

1. Toyoda K, Oba H, Kutomi K, et al. MR imaging of IgG4-related disease in the head and neck and brain. *AJNR Am J Neuroradiol* 2012;33:2136–2139.
2. Ohshima K, Sogabe Y, Sato Y. The usefulness of infraorbital nerve enlargement on MRI imaging in clinical diagnosis of IgG4-related orbital disease. *Jpn J Ophthalmol* 2012;56:380–382.

Neurology®

Teaching *NeuroImages*: IgG4-related orbital disease and enlargement of the trigeminal nerve branches

Romain Deschamps, Lydia Deschamps, Catherine Vignal, et al.

Neurology 2013;81:e117-e118

DOI 10.1212/WNL.0b013e3182a82393

This information is current as of October 7, 2013

Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/81/15/e117.full
Supplementary Material	Supplementary material can be found at: http://n.neurology.org/content/suppl/2013/10/06/81.15.e117.DC1
References	This article cites 2 articles, 1 of which you can access for free at: http://n.neurology.org/content/81/15/e117.full#ref-list-1
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): All Immunology http://n.neurology.org/cgi/collection/all_immunology Cranial neuropathy http://n.neurology.org/cgi/collection/cranial_neuropathy Diplopia (double vision) http://n.neurology.org/cgi/collection/diplopia_double_vision MRI http://n.neurology.org/cgi/collection/mri Orbit http://n.neurology.org/cgi/collection/orbit
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://www.neurology.org/about/about_the_journal#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/subscribers/advertise

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2013 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.