Teaching *NeuroImages*: Burkitt dural lymphoma mimicking a subacute subdural hematoma

Bertrand Mathon, MD
Aurélien Nouet, MD
Chiara Villa, MD
Karima Mokhtari, MD
Hussa Alshehhi, MD
Matthieu Faillot, MD
Didier Dormont, MD,
PhD
Philippe Cornu, MD,
PhD
Delphine Leclercq, MD

Correspondence to
Dr. Mathon:
bertrand.mathon@
neurochirurgie.fr

Figure 1 CT and MRI findings

Homogeneous crescent-shaped lesion. Isodense CT (A), iso-fluid-attenuated inversion recovery MRI (B), iso-T1 MRI (C). Restricted diffusion on MRI diffusion-weighted imaging (D) and apparent diffusion coefficient maps (E). Strong postcontrast enhancement on MRI (F).

A 59-year-old woman with no history of trauma presented with severe headaches and right-sided weakness. A CT scan showed a left hemispheric isodense subdural collection thought to be consistent with a subacute subdural hematoma (figure 1A). The patient underwent a single parietal burr hole for evacuation, but the neurosurgeon found subdural fleshy tissue and performed a biopsy. Immediate postoperative MRI showed a homogeneous hypercellular subdural mass (figure 1, B–F).¹ Pathology was consistent with Burkitt lymphoma (figure 2). Retrospectively, the homogeneous density of the collection argued against hematoma. In nonemergent situations, an atypical radiologic appearance of a subdural hematoma may suggest the need for further radiologic investigations before surgical evacuation.²

AUTHOR CONTRIBUTIONS

B.M., C.V., and D.L. wrote the manuscript. B.M., C.V., A.N., K.M., H.A., M.F., and D.L. collected the data and reviewed the manuscript. D.D. and P.C. reviewed the manuscript.

STUDY FUNDING

No targeted funding reported.

DISCLOSURE

The authors report no disclosures relevant to the manuscript. Go to Neurology.org for full disclosures.

REFERENCES

1. Haldorsen IS, Espeland A, Larsson EM. Central nervous system lymphoma: characteristic findings on traditional and advanced imaging. *AJNR Am J Neuroradiol* 2011;32:984–992.
2. Iwamoto FM, DeAngelis LM, Abrey LE. Primary dural lymphomas: a clinicopathologic study of treatment and outcome in eight patients. *Neurology* 2006;66:1763–1765.

Hematoxylin & eosin stain, 200 $\times$ (A) and 400 $\times$ (B) magnification: "starry sky" pattern: medium-size tumor cells and macrophages ingesting apoptotic cells. Immunostaining: CD20+ (C), Ki67: 95% (D).

Neurology®

Teaching *NeuroImages*: Burkitt dural lymphoma mimicking a subacute subdural hematoma

Bertrand Mathon, Aurélien Nouet, Chiara Villa, et al.

Neurology 2013;81:e128-e129

DOI 10.1212/WNL.0b013e3182a956d0

This information is current as of October 21, 2013

Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/81/17/e128.full
Supplementary Material	Supplementary material can be found at: http://n.neurology.org/content/suppl/2013/10/19/81.17.e128.DC1
References	This article cites 2 articles, 2 of which you can access for free at: http://n.neurology.org/content/81/17/e128.full#ref-list-1
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): CT http://n.neurology.org/cgi/collection/ct MRI http://n.neurology.org/cgi/collection/mri Primary brain tumor http://n.neurology.org/cgi/collection/primary_brain_tumor
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://www.neurology.org/about/about_the_journal#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/subscribers/advertise

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2013 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.