Teaching *NeuroImages*: Rosai-Dorfman disease presenting with progressive early-onset cerebellar ataxia

Carolina Candeias da
Silva, MD
José Luiz Pedroso, MD,
PhD
Fabiano Moulin de
Moraes, MD
René Leandro M. Rivero,
MD, PhD
Fabiano Mesquita
Callegari, MD
Francisco Araujo, Jr, MD
Fabio Fieni Toso, MD
João Norberto Stávale,
MD, PhD
Orlando Graziani Povoas
Barsottini, MD, PhD

Correspondence to
Dr. Pedroso:
jlpedroso.neuro@gmail.com

Figure Imaging and histopathology

(A) Axial fluid-attenuated inversion recovery-weighted brain MRI shows cerebellar white matter (dentate nucleus), middle cerebellar peduncles, and dorsal pons involvement. (B) Spine MRI discloses a heterogeneous lesion with gadolinium enhancement on T12 vertebral body. (C, D) Cervical lymph node biopsy shows emperipolesis: histiocytes with abundant cytoplasm and engulfed viable lymphocytes, classically seen in Rosai-Dorfman disease.

A 13-year-old girl presented with a 3-year history of progressive gait abnormality. She recently had a self-limited cervical lymphadenopathy. Neurologic examination showed brisk tendon reflexes and moderate ataxia. Brain MRI disclosed hyperintense lesions in the cerebellum and pons (figure, A). Spine MRI showed a heterogeneous lesion in the T12 vertebra (figure, B). Histopathology of the cervical lymph node confirmed Rosai-Dorfman disease (RDD) by showing emperipolesis (figure, C and D). The patient will be followed up in order to determine disease progression and therapy.

RDD is a rare autoimmune histiocytic proliferative disorder first recognized in 1969.¹ The CNS

is involved in 5% of cases and generally mimics meningiomas. Bone erosion can be detected in the spine.² Herein, we describe a rare CNS manifestation of RDD resembling a neurodegenerative ataxia.

AUTHOR CONTRIBUTIONS

Dr. da Silva: case description conception, neuroimaging conception, pathology conception, writing of the first draft (nothing to disclose). Dr. Pedroso: case description conception, case description organization, case description execution, neuroimaging organization, pathology organization, writing of the first draft, manuscript review and critique (nothing to disclose). Dr. Moraes: case description conception, neuroimaging conception, pathology conception, writing of the first draft. Dr. Rivero: neuroimaging conception, neuroimaging organization, manuscript review and critique. Dr. Callegari:

Download teaching slides:
www.neurology.org

From the Department of Neurology, Ataxia Unit (C.C.d.S., J.L.P., F.M.d.M., F.F.T., O.G.P.B.), and Department of Pathology (F.M.C., F.A., J.N.S.), Universidade Federal de São Paulo; and Department of Radiology (R.L.M.R.), Universidade Federal de São Paulo and Delboni Auriemo, Diagnósticos da América, São Paulo, Brazil.

Go to Neurology.org for full disclosures. Funding information and disclosures deemed relevant by the authors, if any, are provided at the end of the article.

pathology conception, pathology organization, manuscript review and critique. Dr. Araujo: pathology conception, pathology organization, manuscript review and critique. Dr. Toso: case description conception, neuroimaging conception, pathology conception, writing of the first draft. Dr. Stávale: pathology conception, pathology organization, manuscript review and critique. Dr. Barsottini: case description conception, case description organization, case description execution, writing of the first draft, manuscript review and critique.

STUDY FUNDING

No targeted funding reported.

DISCLOSURE

The authors report no disclosures relevant to the manuscript. Go to Neurology.org for full disclosures.

REFERENCES

1. Rosai J, Dorfman RF. Sinus histiocytosis with massive lymphadenopathy: a newly recognized benign clinicopathological entity. *Arch Pathol* 1969;87:63–70.
2. Purav P, Ganapathy K, Mallikarjuna VS, et al. Rosai-Dorfman disease of the central nervous system. *J Clin Neurosci* 2005;12:656–659.

Neurology®

Teaching *NeuroImages*: Rosai-Dorfman disease presenting with progressive early-onset cerebellar ataxia

Carolina Candeias da Silva, José Luiz Pedroso, Fabiano Moulin de Moraes, et al.

Neurology 2013;81:e27-e28

DOI 10.1212/WNL.0b013e31829d85d2

This information is current as of July 29, 2013

Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/81/5/e27.full
Supplementary Material	Supplementary material can be found at: http://n.neurology.org/content/suppl/2013/07/28/81.5.e27.DC1
References	This article cites 2 articles, 0 of which you can access for free at: http://n.neurology.org/content/81/5/e27.full#ref-list-1
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): All Medical/Systemic disease http://n.neurology.org/cgi/collection/all_medical_systemic_disease Autoimmune diseases http://n.neurology.org/cgi/collection/autoimmune_diseases Gait disorders/ataxia http://n.neurology.org/cgi/collection/gait_disorders_ataxia MRI http://n.neurology.org/cgi/collection/mri
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://www.neurology.org/about/about_the_journal#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/subscribers/advertise

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2013 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.