Mystery Case: Injuries of neural tracts in the Papez circuit following anterior thalamic infarction

Sung Ho Jang, MD
Jun Lee, MD
Hyeok Gyu Kwon, MS

Correspondence to
Dr. Kwon:
khg0715@hanmail.net

Figure T2-weighted brain MRI and results of diffusion tensor tractography

(A) T2-weighted brain MRI shows the left anterior thalamic infarction. (B) The thalamocortical tract between the anterior thalamic nuclei and the cingulate gyrus in the left hemisphere shows thinning compared with that of the right hemisphere (blue arrow). In addition, the left mammillothalamic tract was not reconstructed (yellow arrow).

An 80-year-old woman received conservative management for an infarct in the anterior thalamus (figure, A). She had shown severe memory impairment since the onset of infarction. Diffusion tensor tractography at 2 weeks after onset showed that the thalamocortical tract between the anterior thalamic nuclei and the cingulate gyrus and the mammillothalamic tract were reconstructed in the right hemisphere.^{1,2} By contrast, the left thalamocortical tract showed thinning compared with that of the right hemisphere and the left

mammillothalamic tract was not reconstructed. This patient's memory impairment was mainly the result of injuries of these tracts in the Papez circuit.^{1,2}

AUTHOR CONTRIBUTIONS

Sung Ho Jang: drafting/revising the manuscript, study concept or design, accepts responsibility for conduct of research and final approval, study supervision, obtaining funding. Jun Lee: study concept or design, accepts responsibility for conduct of research and final approval, acquisition of data. Hyeok Gyu Kwon: drafting/revising the manuscript, analysis or interpretation of data, accepts responsibility for conduct of research and final approval, statistical analysis.

From the Departments of Physical Medicine and Rehabilitation (S.H.J., H.G.K.) and Neurology (J.L.), College of Medicine, Yeungnam University, Daegu, Republic of Korea.

Go to Neurology.org for full disclosures. Funding information and disclosures deemed relevant by the authors, if any, are provided at the end of the article.

STUDY FUNDING

Supported by Basic Science Research Program through the National Research Foundation of Korea (NRF) funded by the Ministry of Education, Science and Technology (2012R1A1A4A01001873).

DISCLOSURE

The authors report no disclosures relevant to the manuscript. Go to Neurology.org for full disclosures.

REFERENCES

1. Kwon HG, Hong JH, Jang SH. Mammillothalamic tract in human brain: diffusion tensor tractography study. *Neurosci Lett* 2010;481:51–53.
2. Jang SH, Yeo SS. Thalamocortical tract between anterior thalamic nuclei and cingulate gyrus in the human brain: diffusion tensor tractography study. *Brain Imaging Behav* 2013;7:236–241.

MYSTERY CASE RESPONSES

The Mystery Case series was initiated by the *Neurology*[®] Resident & Fellow Section to develop the clinical reasoning skills of trainees. Residency programs, medical

student preceptors, and individuals were invited to use this Mystery Case as an educational tool. Responses were solicited through a group e-mail sent to the American Academy of Neurology Consortium of Neurology Residents and Fellows and through social media.

All the responses that we received came from individuals rather than groups. A total of 50% of respondents correctly identified the left thalamic infarction in the figure, A, and the loss of the left mammillothalamic tract on diffusion tensor tractography in the figure, B.

This case report demonstrates the utility of tractography in assessing the integrity of neural pathways, such as the Papez circuit, which are not directly visualized with other imaging modalities such as CT or conventional MRI.

Andrew Schepmyer, MD
University of British Columbia

Neurology®

Mystery Case: Injuries of neural tracts in the Papez circuit following anterior thalamic infarction

Sung Ho Jang, Jun Lee and Hyeok Gyu Kwon

Neurology 2014;82:e178-e179

DOI 10.1212/WNL.0000000000000444

This information is current as of May 26, 2014

Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/82/21/e178.full
References	This article cites 2 articles, 0 of which you can access for free at: http://n.neurology.org/content/82/21/e178.full#ref-list-1
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): All Clinical Neurology http://n.neurology.org/cgi/collection/all_clinical_neurology DWI http://n.neurology.org/cgi/collection/dwi Infarction http://n.neurology.org/cgi/collection/infarction Memory http://n.neurology.org/cgi/collection/memory
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://www.neurology.org/about/about_the_journal#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/subscribers/advertise

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2014 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.