Teaching *NeuroImages*: Hyperdense posterior cerebral artery sign

Dan J. Capampangan,
MD
Joyce K. Lee-Ianotti, MD
Katherine C. Riordan,
MD
Christopher L. Kramer,
MD

Correspondence to
Dr. Capampangan:
capampangan.dan@mayo.edu

Figure 1 CT head

CT head shows a left hyperdense posterior cerebral artery sign (red arrows).

Figure 2 CT angiography

CT angiography of the head demonstrates occlusion of the left posterior cerebral artery (red arrows).

A 38-year-old man presented to the emergency department with right-sided weakness, sensory loss, and hemianopsia. CT head showed a left hyperdense posterior cerebral artery sign (HPCAS) (figure 1). CT angiogram of the head confirmed a left posterior cerebral artery (PCA) occlusion (figure 2). MRI demonstrated a left PCA infarct. Transesophageal echocardiogram revealed an atrial septal aneurysm and patent foramen ovale. He was treated with

antiplatelet therapy. The HPCAS has been considered a marker for acute ischemia in the PCA territory.¹ Recognizing the HPCAS on CT in acute stroke may help in the diagnosis and treatment of thromboembolic PCA branch occlusion.

AUTHOR CONTRIBUTIONS

Dr. Dan Capampangan: study concept and design. Dr. Joyce Kerri Lee Ianotti: study concept and design. Dr. Katherine Colleen Riordan: acquisition of data. Dr. Christopher Lawrence Kramer: acquisition of data.

Download teaching slides:
Neurology.org

From the Mayo Clinic, Scottsdale, AZ.

Go to Neurology.org for full disclosures. Funding information and disclosures deemed relevant by the authors, if any, are provided at the end of the article.

STUDY FUNDING

No targeted funding reported.

DISCLOSURE

The authors report no disclosures relevant to the manuscript. Go to Neurology.org for full disclosures.

REFERENCE

1. Krings T, Noelchen D, Mull M, et al. The hyperdense posterior cerebral artery sign: a computed tomography marker of acute ischemia in the posterior cerebral artery territory. *Stroke* 2006;37:399–403.

Neurology®

Teaching *NeuroImages*: Hyperdense posterior cerebral artery sign

Dan J. Capampangan, Joyce K. Lee-Ianotti, Katherine C. Riordan, et al.

Neurology 2014;83:e180-e181

DOI 10.1212/WNL.0000000000000976

This information is current as of November 10, 2014

Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/83/20/e180.full
Supplementary Material	Supplementary material can be found at: http://n.neurology.org/content/suppl/2014/11/08/WNL.0000000000000976.DC1
References	This article cites 1 articles, 1 of which you can access for free at: http://n.neurology.org/content/83/20/e180.full#ref-list-1
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): All Cerebrovascular disease/Stroke http://n.neurology.org/cgi/collection/all_cerebrovascular_disease_stroke CT http://n.neurology.org/cgi/collection/ct
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://www.neurology.org/about/about_the_journal#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/subscribers/advertise

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2014 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.