4. van der Bilt IA, Hasan D, Vandertop WP, et al. Impact of cardiac complications on outcome after aneurysmal subarachnoid hemorrhage: a meta-analysis. *Neurology* 2009;72:635–642.
5. Beleigoli AM, Boersma E, Diniz Mde F, Vidigal PG, Lima-Costa MF, Ribeiro AL. C-reactive protein and B-type natriuretic peptide yield either a non-significant or a modest incremental value to traditional risk factors in predicting long-term overall mortality in older adults. *PLoS One* 2013;8:e75809.
6. Montaner J, Perea-Gainza M, Delgado P, et al. Etiologic diagnosis of ischemic stroke subtypes with plasma biomarkers. *Stroke* 2008;39:2280–2287.

EFFECTS OF BACILLE CALMETTE-GUÉRIN AFTER THE FIRST DEMYELINATING EVENT IN THE CNS

Nitin K. Sethi, New York: Ristori et al.¹ reported the benefits of Bacille Calmette-Guérin (BCG) vaccination after clinically isolated syndrome (CIS). BCG vaccination may prevent progression to clinically definite multiple sclerosis in these patients. In countries like India where tuberculosis is endemic, BCG vaccination is administered to all children any time from birth to 15 days. If administered after 6 months, a Mantoux test is carried out, and if it is positive, the vaccine is withheld. Widespread BCG vaccination at birth may explain the low incidence of multiple sclerosis in the Indian subcontinent along with other hypotheses: distance from the equator, Epstein-Barr virus association vs causation, genetics, and hygiene. A well-designed study could clarify this vaccination hypothesis.

Author Response: Giovanni Ristori, Silvia Romano, Giulia Coarelli, Maria Chiara Buscarinu, Marco Salvetti, Rome: We thank Dr. Sethi for his comments on our article.¹ His hypothesis is plausible. Studies have been carried out regarding the association of early BCG vaccination and type 1 diabetes. Protective

effects of repetitive vaccinations have been shown in Turkey,² and an association between BCG vaccine and reduced production of GAD65 and IA-2 autoantibodies was demonstrated in Southern India.³ It is unclear how early administration of the BCG vaccine may work over time and how it may affect autoimmunity prevalence in children and young adults. It is possible that early priming with BCG sensitizes this population to environmental nonpathogenic mycobacteria that exert long-term immunomodulatory effects, especially in developing countries. This may represent a sort of benign exposure to microbes that lacks or is deficient in the context of Westernization.⁴ Another possibility is that BCG vaccination could provide protection from mycobacterial triggers and dysregulated immune response to mycobacterial antigens that have been associated with multiple sclerosis.^{5,6}

© 2014 American Academy of Neurology

1. Ristori G, Romano S, Cannoni S, et al. Effects of Bacille Calmette-Guérin after the first demyelinating event in the CNS. *Neurology* 2014;82:41–48.
2. Karaci M, Aydin M. The effect of BCG vaccine from protection of type 1 diabetes mellitus. *J Contemp Med* 2012;2:1–8.
3. Sanjeevi CB, Ashok KD, Shtauvere-Brameus A. BCG vaccination and GAD65 and IA-2 autoantibodies in autoimmune diabetes in Southern India. *Ann NY Acad Sci* 2002; 958:293–296.
4. Rook GA. Regulation of the immune system by biodiversity from the natural environment: an ecosystem service essential to health. *Proc Natl Acad Sci USA* 2013;110: 18360–18367.
5. Salvetti M, Ristori G, Buttinelli C, et al. The immune response to mycobacterial 70-kDa heat shock proteins frequently involves autoreactive T cells and is quantitatively dysregulated in multiple sclerosis. *J Neuroimmunol* 1996; 65:143–153.
6. Cossu D, Masala S, Frau J, Cocco E, Marrosu MG, Sechi LA. Anti *Mycobacterium avium* subsp. paratuberculosis heat shock protein 70 antibodies in the sera of Sardinian patients with multiple sclerosis. *J Neurol Sci* 2013;335: 131–133.

Get Connected. Stay Connected.

Connect with the American Academy of Neurology's popular social media channels to stay up-to-date on the latest news and breakthroughs in neurology, and network with peers and neurology thought leaders. Visit AAN.com/Connect.

Author disclosures are available upon request (journal@neurology.org).

Neurology®

Effects of Bacille Calmette-Guérin after the first demyelinating event in the CNS

Nitin K. Sethi, Giovanni Ristori, Silvia Romano, et al.

Neurology 2014;83;293

DOI 10.1212/01.wnl.0000452303.37990.ff

This information is current as of July 14, 2014

Updated Information & Services

including high resolution figures, can be found at:
<http://n.neurology.org/content/83/3/293.full>

References

This article cites 6 articles, 2 of which you can access for free at:
<http://n.neurology.org/content/83/3/293.full#ref-list-1>

Permissions & Licensing

Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at:
http://www.neurology.org/about/about_the_journal#permissions

Reprints

Information about ordering reprints can be found online:
<http://n.neurology.org/subscribers/advertise>

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2014 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.