Teaching *NeuroImages*: Spontaneous spinal epidural hematoma with spot sign positivity

Anna Schutz, MBBS
Priyal Rama Asary, MBBS
Julian Hansen, MBBS
Bill O'Brien, MBBS
Denis Crimmins, MBBS

Correspondence to
Dr. Schutz:
annaschutz@gmail.com

Figure 1 Craniocervical CT angiogram: Selected axial images

(A) CT angiography precontrast images show a hyperdense right posterolateral epidural collection (hematoma) with subsequent contrast extravasation (B), i.e., spot sign.

Figure 2 Sagittal T2-weighted MRI

MRI confirms an epidural collection with high T2 signal, consistent with hematoma.

Download teaching slides:
Neurology.org

From Gosford Hospital, Australia.

Go to Neurology.org for full disclosures. Funding information and disclosures deemed relevant by the authors, if any, are provided at the end of the article.

An 82-year-old man on warfarin for previous venous thromboembolism presented to the hospital with acute neck pain followed by rapidly progressive, asymmetrical incomplete quadriparesis. Craniocervical CT angiography (CTA) was performed (figure 1), which revealed a spot sign and hyperdense material in the cervical spinal canal. MRI confirmed extradural hematoma from C4-T1 (figure 2), and successful surgical management was achieved.

The CTA spot sign is a predictor of intracerebral hematoma growth.¹ In spinal epidural hematomas, rapid clinical progression has been associated with poorer prognosis.² However, there are no published data on spot sign positivity in spinal hematomas.

AUTHOR CONTRIBUTIONS

A. Schutz: study concept and drafting of manuscript. P. Rama Asary: study concept and drafting of manuscript. J. Hansen: study

concept and revising of manuscript. B. O'Brien: study concept and revising of manuscript. D. Crimmins: study concept and revising of manuscript.

STUDY FUNDING

No targeted funding reported.

DISCLOSURE

The authors report no disclosures relevant to the manuscript. Go to Neurology.org for full disclosures.

REFERENCES

1. Demchuk AM, Dowlatshahi D, Rodriguez-Luna D, et al; PREDICT/Sunnybrook ICH CTA study group. Prediction of haematoma growth and outcome in patients with intracerebral haemorrhage using the CT-angiography spot sign (PREDICT): a prospective observational study. *Lancet Neurol* 2012;11:307–314.
2. Zhong W, Chen H, You C, Li J, Liu Y, Huang S. Spontaneous spinal epidural haematoma. *J Clin Neurosci* 2011; 18:1490–1494.

Neurology®

Teaching *NeuroImages*: Spontaneous spinal epidural hematoma with spot sign positivity

Anna Schutz, Priyal Rama Asary, Julian Hansen, et al.

Neurology 2015;84:e202-e203

DOI 10.1212/WNL.0000000000001660

This information is current as of June 8, 2015

Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/84/23/e202.full
Supplementary Material	Supplementary material can be found at: http://n.neurology.org/content/suppl/2015/06/06/WNL.0000000000001660.DC1
References	This article cites 2 articles, 0 of which you can access for free at: http://n.neurology.org/content/84/23/e202.full#ref-list-1
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): Prognosis http://n.neurology.org/cgi/collection/prognosis
Permissions & Licensing	Information about reproducing this article in parts (figures,tables) or in its entirety can be found online at: http://www.neurology.org/about/about_the_journal#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/subscribers/advertise

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2015 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.