Figure. (A) Static portion of the video, which shows contraversive horizontal epileptic nystagmus during EEG-documented left temporal seizure activity. Spontaneous speech (patient attempted to speak German) as recorded in the video reveals global aphasia. (B) CT 30 minutes after seizure onset revealed an old defect in the left temporo-parietal region. (C, D) EEG 60 minutes after seizure onset documented continuous left temporal seizure activity, characterized by waxing and waning rhythmic theta delta activity with intermittent small spikes (C: referential montage, D: bipolar montage).

VIDEO Epileptic nystagmus

T. Pfefferkorn, MD, M. Holtmannspötter, MD, V. Querner, MD, C. Dudel, MD, S. Noachtar, MD, M. Strupp, MD, and T. Brandt, MD, Munich, Germany

A 75-year-old right-handed woman without a history of epilepsy presented with acute global aphasia, tonic stiffness of the right arm, head deviation to the right, and a horizontal nystag-

Address correspondence and reprint requests to Dr. Thomas Pfefferkorn, Klinikum Grosshadern, Dept. of Neurology, Marchioninistr. 15, 81377 Munich, Germany; e-mail: thomas.pfefferkorn@med.uni-muenchen.de

mus to the right (see the video) (figure, A). CT revealed an old ischemic defect in the left temporo-parietal region (figure, B). EEG showed left temporal seizure activity (figure, C and D). Acute infarction could be excluded by diffusion-weighted MRI performed the next day. The nystagmus may be explained by epileptic activation of cortical saccade or pursuit regions, which caused contraversive quick or ipsiversive slow phases, the involvement of optokinetic or motion-sensitive regions, or epileptic discharges in the vestibular cortex.^{1,2}

1. Tusa RJ, Kaplan PW, Hain TC, Naidu S. Ipsiversive eye deviation and epileptic nystagmus. *Neurology* 1990;28:589–591.
2. Stolz SE, Chatrian GE, Spence AM. Epileptic nystagmus. *Epilepsia* 1991;32:910–918.

Neurology[®]

Epileptic nystagmus

T. Pfefferkorn, M. Holtmannspötter, V. Querner, et al.

Neurology 2004;63;E14

DOI 10.1212/01.WNL.0000140658.03118.E8

This information is current as of October 11, 2004

Updated Information & Services

including high resolution figures, can be found at:
<http://n.neurology.org/content/63/7/E14.full>

Supplementary Material

Supplementary material can be found at:
<http://n.neurology.org/content/suppl/2004/09/17/63.7.E14.DC1>

References

This article cites 2 articles, 0 of which you can access for free at:
<http://n.neurology.org/content/63/7/E14.full#ref-list-1>

Subspecialty Collections

This article, along with others on similar topics, appears in the following collection(s):
EEG; see Epilepsy/Seizures
http://n.neurology.org/cgi/collection/eeg_see_epilepsy-seizures
Epilepsy monitoring
http://n.neurology.org/cgi/collection/epilepsy_monitoring
Epilepsy semiology
http://n.neurology.org/cgi/collection/epilepsy_semiology
Nystagmus
<http://n.neurology.org/cgi/collection/nystagmus>
Video/ EEG use in epilepsy
http://n.neurology.org/cgi/collection/video__eeg_use_in_epilepsy

Permissions & Licensing

Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at:
http://www.neurology.org/about/about_the_journal#permissions

Reprints

Information about ordering reprints can be found online:
<http://n.neurology.org/subscribers/advertise>

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright . All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.