Teaching *NeuroImages*: Posttraumatic lumbar epidural hematoma

Jasper van Aalst, MD,
PhD
Kim Rijkers, MD, PhD
Alida A. Postma, MD,
PhD

Correspondence to
Dr. van Aalst:
j.van.aalst@mumc.nl

Figure MRI of the lumbar spine

Sagittal T2-weighted (A) and T1-weighted (B), detail (C), and transverse T2-weighted (D) MRIs show a convex hyperintense T2 lesion in the ventral epidural space at L2-L3, with slight hyperintensity at T1 without obvious signs of adjacent disc degeneration or hydrops of facet joints. The asterisk in panel D points at the hematoma. One year later, the MRI was normalized (E-G).

A 36-year-old man presented with pain radiating from his right hip to the knee, after a heavy fall on his back 2 months earlier. At neurologic examination,

bilateral Lasegue's sign (straight leg raise test) was present. MRI revealed a ventral epidural space-occupying lesion at L2-L3 (figure). The differential

Download teaching slides:
Neurology.org

From the Departments of Neurosurgery (J.v.A., K.R.) and Radiology (A.A.P.), Maastricht University Medical Center, Maastricht, the Netherlands. Go to Neurology.org for full disclosures. Funding information and disclosures deemed relevant by the authors, if any, are provided at the end of the article.

diagnosis consisted of a sequestered disc, a ventral synovial cyst, and an epidural hematoma.

The diagnosis of a spinal epidural hematoma can be challenging; a posttraumatic lumbar epidural hematoma is even more rare.^{1,2}

In our patient, the complaints resolved spontaneously and 1 year later, the lesion had disappeared (figure).

AUTHOR CONTRIBUTIONS

Dr. J. van Aalst treated the patient and drafted the manuscript. Dr. K. Rijkers wrote the manuscript. Dr. A.A. Postma performed neuroimaging, made the differential diagnosis, and provided the figure.

STUDY FUNDING

No targeted funding reported.

DISCLOSURE

The authors report no disclosures relevant to the manuscript. Go to Neurology.org for full disclosures.

REFERENCES

1. Cha J-R, Park K-B, Ko S-H. Post-traumatic lumbar epidural hematoma with neurology: report of 1 case. *Asian Spine J* 2011;5:130–132.
2. Albayrak S, Burak Atci I, Ayden O, Durdag E. Spontaneous regression of traumatic lumbar epidural hematomas. *Am J Case Rep* 2012;13:258–261.

Neurology®

Teaching *NeuroImages*: Posttraumatic lumbar epidural hematoma

Jasper van Aalst, Kim Rijkers and Alida A. Postma

Neurology 2015;84:e7-e8

DOI 10.1212/WNL.0000000000001111

This information is current as of December 29, 2014

Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/84/1/e7.full
Supplementary Material	Supplementary material can be found at: http://n.neurology.org/content/suppl/2014/12/24/WNL.0000000000001111.DC1
References	This article cites 2 articles, 0 of which you can access for free at: http://n.neurology.org/content/84/1/e7.full#ref-list-1
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): All Clinical Neurology http://n.neurology.org/cgi/collection/all_clinical_neurology All Pain http://n.neurology.org/cgi/collection/all_pain MRI http://n.neurology.org/cgi/collection/mri Other trauma http://n.neurology.org/cgi/collection/other_trauma
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://www.neurology.org/about/about_the_journal#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/subscribers/advertise

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2014 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.