

Teaching NeuroImages: Retinal migraine in action


Nada El Youssef, MD,* Nancy Maalouf, MD,* Aline Mourad, MD, Joseph Saade, MD, and Mounir Khoury, MD

Neurology® 2018;90:e992. doi:10.1212/WNL.00000000000005130

Correspondence

Dr. El Youssef
nadaelyoussef@gmail.com

Figure Fundus photography



(A) Ictal and (B) postictal. (A) During the episode of visual loss, multiple vasoconstrictions of the left central retinal artery (arrows)/vein (arrowheads) and their branches. (B) Complete resolution of vasoconstriction 10 minutes after the previous picture, when the patient reported his vision was back to normal baseline.

A 56-year-old man with migraine headache reported a 2-day history of 5 episodes of left eye visual loss, each lasting 5 minutes. He described seeing a curtain moving in nasal to temporal direction, disappearing gradually, followed by a left periorbital pulsatile headache lasting 10 minutes.

Ophthalmologic and neurologic examinations were normal. Head and neck MRI/magnetic resonance angiography and cardiac and rheumatologic investigations were unrevealing.

Ictal fundus photography showed multiple vasoconstrictions of the central retinal artery/vein and their branches (figure, A), with resolution 10 minutes later (figure, B). Aspirin and valproate were initiated.

Though migraine pathophysiology is controversial, vasospasm remains a possible contributor/epiphenomenon in retinal migraine.¹

Study funding

No targeted funding reported.

Disclosure

The authors report no disclosures relevant to the manuscript. Go to Neurology.org/N for full disclosures.

Reference

1. Kowacs PA, Utiumi MA, Piovesan EJ. The visual system in migraine: from the bench side to the office. *Headache* 2015;55(suppl 1):84–98.

MORE ONLINE

→ Teaching slides:
links.lww.com/WNL/A244

*These authors contributed equally to this work.

From the Department of Neurology, Saint George Hospital University Medical Center, Beirut, Lebanon.

Neurology®

Teaching NeuroImages: Retinal migraine in action
Nada El Youssef, Nancy Maalouf, Aline Mourad, et al.
Neurology 2018;90:e992
DOI 10.1212/WNL.0000000000005130

This information is current as of March 12, 2018

Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/90/11/e992.full.html
References	This article cites 1 articles, 0 of which you can access for free at: http://n.neurology.org/content/90/11/e992.full.html##ref-list-1
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): All Headache http://n.neurology.org/cgi/collection/all_headache Migraine http://n.neurology.org/cgi/collection/migraine Visual loss http://n.neurology.org/cgi/collection/visual_loss
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://n.neurology.org/misc/about.xhtml#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/misc/addir.xhtml#reprintsus

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2018 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.

