


Bilateral frontal cysts from a crista galli meningioma


Figure 1 Symmetric bilateral frontal cysts and a tumor on MRI and CT



(A) Axial and (B) coronal T2-weighted MRI show large symmetric bilateral frontal cysts and an isointense nodule (arrow) over the cribriform plate. (C) Contrast-enhanced CT scan shows that the nodule is homogeneously enhanced (arrow). The differential diagnosis includes meningioma, esthesioneuroblastoma, and hemangiopericytoma.

A 73-year-old woman had progressive apathy, forgetfulness, and gait disturbance for 6 months. Neurologic examination showed inattentiveness, memory impairment, and broad-based gait. Noncontrast MRI was performed due to gadolinium allergy. MRI and contrast-enhanced CT scan revealed symmetric bilateral frontal cysts (figure 1A) and an anterior skull base nodule (figure 1, B and C). Surgery confirmed a meningioma arising from the crista galli (figure 2A). Her symptoms improved postoperatively and the cysts shrank significantly (figure 2B).

Figure 2 Surgical view and postoperative MRI



(A) A bifrontal approach reveals the cyst wall (arrowheads) and a meningioma (arrow) arising from the dura of the crista galli (open arrowheads). The dashed line indicates the midline. (B) The T2-weighted MRI 4 months after the surgery demonstrates shrinkage of the cysts.

Cystic meningiomas are classified as intratumoral, intraparenchymal, and subarachnoidal/epiarachnoidal types.¹ Cysts that are occasionally observed in skull base meningiomas are usually unilateral²; symmetric bilateral cysts are rare.

Hiroki Toda, MD, PhD, Hidetsugu Maekawa, MD

From Tazuke Kofukai Medical Research Institute and Kitano Hospital (H.T., H.M.), Osaka; and Tokushima University Hospital (H.M.), Japan.

Author contributions: Dr. Toda: study concept, design, draft, and revision of the manuscript. Dr. Maekawa: acquisition of data and revision of the manuscript.

Study funding: No targeted funding reported.

Disclosure: The authors report no disclosures relevant to the manuscript. Go to Neurology.org for full disclosures.

Correspondence to Dr. Toda: htoda-nsu@umin.ac.jp

1. Nauta HJ, Tucker WS, Horsey WJ, Bilbao JM, Gonsalves C. Xanthochromic cysts associated with meningioma. *J Neurol Neurosurg Psychiatry* 1979;42:529–535.
2. Wasenko JJ, Hochhauser L, Stopa EG, Winfield JA. Cystic meningiomas: MR characteristics and surgical correlations. *AJNR Am J Neuroradiol* 1994;15:1959–1965.

WriteClick® rapid online correspondence

Have a comment on a recent *Neurology*® article you would like to share? Now it is easier and more convenient. *Neurology.org* has launched WriteClick on the home page and sidebars of each article to encourage remarks and debate among users.

WriteClick is restricted to comments about studies published in *Neurology* within the last eight weeks.

Learn more at Neurology.org/letters

Introducing EBM Online—FREE to AAN Members!

The American Academy of Neurology again demonstrates its commitment to high-quality neurology education by converting and refining its popular classroom evidence-based medicine training into a convenient on-demand, self-paced online program. Only EBM Online from the AAN provides the trusted expertise of the source of the world's most respected neurology guidelines.

EBM Online:

- Features five hours of convenient, interactive courses in 10 modules
- Uses common, real-life neurologic clinical examples
- Measures outcomes with pre-test, post-test, and module evaluations
- Provides helpful feedback on individual knowledge and more

This program is available now to residents and fellows; practicing neurologists are encouraged to register when CME is available in 2016.

Learn more at AAN.com/view/EBMOnline.

Neurology®

Bilateral frontal cysts from a crista galli meningioma

Hiroki Toda and Hidetsugu Maekawa

Neurology 2015;85;2081-2082

DOI 10.1212/WNL.0000000000002195

This information is current as of December 7, 2015

Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/85/23/2081.full
References	This article cites 2 articles, 2 of which you can access for free at: http://n.neurology.org/content/85/23/2081.full#ref-list-1
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): CT http://n.neurology.org/cgi/collection/ct MRI http://n.neurology.org/cgi/collection/mri Primary brain tumor http://n.neurology.org/cgi/collection/primary_brain_tumor
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://www.neurology.org/about/about_the_journal#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/subscribers/advertise

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2015 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.

