Teaching Video *NeuroImages*: Bilateral complete horizontal gaze palsy with preserved convergence

The 1 + 1 syndrome

Damien Biotti, MD
Caroline Tilikete, PhD

Correspondence to
Dr. Biotti:
biotti.d@chu-toulouse.fr

Bilateral complete horizontal gaze palsy, the 1 + 1 syndrome, is extremely rare. An otherwise healthy 25-year-old woman shows a recently acquired complete horizontal saccadic palsy. Its association with the absence of improvement with oculoccephalic maneuvers and the preservation of convergence clinically suggests a bilateral cranial nerve VI nucleus dysfunction^{1,2} (video at Neurology.org; figures 1 and 2). Main causes include CNS inflammation, metabolic/toxic disorders, and regional expansive lesions. Mimickers such as myasthenia gravis or Fisher syndrome and anti-GQ1b-mediated disorders have to be meticulously excluded.

Despite exhaustive investigations, including repeated MRI, the cause remains unknown in this patient and no changes were observed over years.

AUTHOR CONTRIBUTIONS

D. Biotti: first author, corresponding author, principal investigator, neuro-ophthalmologic management. C. Tilikete: data collection, neuro-ophthalmologic management.

STUDY FUNDING

No targeted funding reported.

DISCLOSURE

The authors report no disclosures relevant to the manuscript. Go to Neurology.org for full disclosures.

REFERENCES

1. Bourre B, Collongues N, Bouyon M, et al. A case of bilateral horizontal gaze ophthalmoplegia: the 1+1 syndrome [in French]. *Rev Neurol* 2010;166:1028–1031.
2. Leigh R, Zee D. Disorders of ocular motility due to disease of the brainstem, cerebellum, and diencephalon. In: *The Neurology of Eye Movements*, 5th ed. Oxford: Oxford University Press; 2015.

Figure 1 Ocular motor examination

Supplemental data
at Neurology.org

Download teaching slides:
Neurology.org

From Pole des Neurosciences (D.B.), B4 Neurology Unit, Hôpital Pierre-Paul-Riquet, CHU Purpan, Toulouse; and Neuro-ophthalmology Unit (C.T.), Hôpital Neurologique, Hospices Civils de Lyon, Bron, France.

Figure 2 Anatomical scheme of nuclear and infranuclear horizontal gaze pathways

Neurology®

Teaching Video *NeuroImages*: Bilateral complete horizontal gaze palsy with preserved convergence: The 1 + 1 syndrome
Damien Biotti and Caroline Tilikete
Neurology 2016;87:e117-e118
DOI 10.1212/WNL.0000000000003096

This information is current as of September 12, 2016

Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/87/11/e117.full
Supplementary Material	Supplementary material can be found at: http://n.neurology.org/content/suppl/2016/09/12/WNL.0000000000003096.DC1 http://n.neurology.org/content/suppl/2016/09/12/WNL.0000000000003096.DC2
References	This article cites 1 articles, 0 of which you can access for free at: http://n.neurology.org/content/87/11/e117.full#ref-list-1
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): All Neuro-ophthalmology http://n.neurology.org/cgi/collection/all_neuroophthalmology Clinical neurology examination http://n.neurology.org/cgi/collection/clinical_neurology_examination Diplopia (double vision) http://n.neurology.org/cgi/collection/diplopia_double_vision Ocular motility http://n.neurology.org/cgi/collection/ocular_motility
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://www.neurology.org/about/about_the_journal#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/subscribers/advertise

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2016 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.