Teaching Video *NeuroImages*: Trapezius muscle hypertrophy in multifocal motor neuropathy

Pierre R. Bourque, MD
Mahmoud Al-Hajji, MD
Jocelyn Zwicker, MD
Jodi Warman Chardon,
MD

Correspondence to
Dr. Bourque:
pbourque@toh.ca

Figure Anteroposterior photograph and coronal SPACE T2 MRI

(A) Anteroposterior photograph demonstrates a convex bulging of the left upper trapezius muscle (black arrow). With IV immunoglobulin therapy, myokymia and fasciculations became infrequent and the asymmetry gradually subsided after 1 year. (B) Coronal SPACE T2 MRI. The left trapezius diameter was 2-3× larger on all cuts (white arrow), but had normal signal characteristics.

Neurogenic muscle hypertrophy has been reported in spinal muscular atrophy, radiculopathy, postpolio syndrome, chronic inflammatory demyelinating polyradiculoneuropathy, and multifocal motor neuropathy (MMN).

A 50-year-old man presented with GM1 antibody-negative MMN, prominently affecting the right radial and left fibular nerve territories. Nerve conduction studies demonstrated definite motor conduction blocks. There was striking hypertrophy of the

left trapezius (figure, A), clearly seen on MRI (figure, B). The trapezius muscle showed frequent fasciculations and myokymia (video at Neurology.org). Trapezius muscle hypertrophy was attributed to constant activation by ectopic motor action potentials in the spinal accessory nerve,¹ whereas the predominant pathophysiology in other affected nerves was paresis from conduction block. There was substantial clinical and electrophysiologic improvement with IV immunoglobulin therapy.

Supplemental data
at Neurology.org

Download teaching slides:
Neurology.org

From the Department of Medicine, Division of Neurology (P.R.B., M.A.-H., J.Z., J.W.C.), The Ottawa Hospital; Faculty of Medicine (P.R.B., M.A.-H., J.Z., J.W.C.), University of Ottawa; The Ottawa Hospital Research Institute (P.R.B., J.W.C.); and the Division of Genetics (J.W.C.), Children's Hospital of Eastern Ontario, Ottawa, Canada.

Go to Neurology.org for full disclosures. Funding information and disclosures deemed relevant by the authors, if any, are provided at the end of the article.

AUTHOR CONTRIBUTIONS

Pierre Bourque: case selection, acquisition of data, intellectual content. Mahmoud Al-Hajji: revision, literature review. Jocelyn Zwicker: revision of manuscript. Jodi Warman Chardon: revision of manuscript for intellectual content.

STUDY FUNDING

No targeted funding reported.

DISCLOSURE

The authors report no disclosures relevant to the manuscript. Go to Neurology.org for full disclosures.

REFERENCE

1. O'Leary CP, Mann AC, Lough J, Willison HJ. Muscle hypertrophy in multifocal motor neuropathy is associated with continuous motor unit activity. *Muscle Nerve* 1997;20:479–485.

Neurology®

Teaching Video NeuroImages: Trapezius muscle hypertrophy in multifocal motor neuropathy

Pierre R. Bourque, Mahmoud Al-Hajji, Jocelyn Zwicker, et al.

Neurology 2017;89:e81-e82

DOI 10.1212/WNL.0000000000004233

This information is current as of August 14, 2017

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2017 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.

Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/89/7/e81.full
Supplementary Material	Supplementary material can be found at: http://n.neurology.org/content/suppl/2017/08/14/WNL.00000000000004233.DC1 http://n.neurology.org/content/suppl/2017/08/14/WNL.00000000000004233.DC2
References	This article cites 1 articles, 0 of which you can access for free at: http://n.neurology.org/content/89/7/e81.full#ref-list-1
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): All clinical neurophysiology http://n.neurology.org/cgi/collection/all_clinical_neurophysiology All Neuromuscular Disease http://n.neurology.org/cgi/collection/all_neuromuscular_disease Chronic inflammatory demyelinating polyneuropathy http://n.neurology.org/cgi/collection/chronic_inflammatory_demyelinating_polyneuropathy Muscle disease http://n.neurology.org/cgi/collection/muscle_disease Peripheral neuropathy http://n.neurology.org/cgi/collection/peripheral_neuropathy
Permissions & Licensing	Information about reproducing this article in parts (figures,tables) or in its entirety can be found online at: http://www.neurology.org/about/about_the_journal#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/subscribers/advertise

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2017 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.