Notable from Our Podcast

The February 27, 2018, issue featured interview highlighted the guidelines and concerns surrounding brain death determination. For our What's Trending feature, you will hear part II of the discussion on gene drives.

NPub.org/podcast

Author Tip

An important part of publishing is promoting your work. Using popular sites like Facebook and Twitter is a fast, free way to share your work with a wide audience. Use hashtags so your posts can be easily found (e.g., #Neurology or #Parkinsonsdisease). Users following those hashtags will see your posts, when they otherwise might not have. Using images tends to draw people in more than plain text. If you are interested in having *Neurology*[®] promote your published article on our channels, or would like to learn more about using social media, please contact msorenson@neurology.org.

From the AAN Press Room

Visit AAN.com/pressroom for the latest press releases

Physically fit women nearly 90% less likely to develop dementia

Women with high physical fitness at middle age were nearly 90% less likely to develop dementia decades later, compared to women who were moderately fit. When the highly fit women did develop dementia, they developed the disease an average of 11 years later than women who were moderately fit, or at age 90 instead of age 79. "These findings are exciting because it's possible that improving people's cardiovascular fitness in middle age could delay or even prevent them from developing dementia," said study author Helena Hörder, PhD, of the University of Gothenburg, Sweden.

Hörder H, Johansson L, Guo X, et al. 2018;90:e1298–e1305. doi.org/10.1212/WNL.0000000000005290.

CME

Involvement of the central somatosensory system in restless legs syndrome: A neuroimaging study

Page 949

ABBY: A phase 2 randomized trial of crenezumab in mild to moderate Alzheimer disease

Page 955

Most-Read Articles

As of February 23, 2018

The terrorist inside my husband's brain

S.S. Williams. 2016;87:1308–1311. doi.org/10.1212/WNL.0000000000003162.

Evidence-based guideline update: Pharmacologic treatment for episodic migraine prevention in adults

S.D. Silberstein, S. Holland, F. Freitag, et al. 2012;78:1337–1345. doi.org/10.1212/WNL.0b013e3182535d20.

Practice Parameter: Therapies for benign paroxysmal positional vertigo (an evidence-based review): [RETIRED]

T.D. Fife, D.J. Iverson, T. Lempert, et al. 2008;70:2067–2074. doi.org/10.1212/01.wnl.0000313378.77444.ac.

Evidence-based guideline: Management of an unprovoked first seizure in adults

A. Krumholz, S. Wiebe, G.S. Gronseth, et al. 2015;84:1705–1713. doi.org/10.1212/WNL.0000000000001487.

Self-treatment of benign paroxysmal positional vertigo: Semont maneuver vs Epley procedure

A. Radtke, M. von Brevern, K. Tiel-Wilck, et al. 2004;63:150–152. doi.org/10.1212/01.WNL.0000130250.62842.C9.

Neurology®

What's happening in *Neurology*®
Neurology 2018;90;959
DOI 10.1212/WNL.0000000000005577

This information is current as of May 21, 2018

Updated Information & Services

including high resolution figures, can be found at:
<http://n.neurology.org/content/90/21/959.full>

Permissions & Licensing

Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at:
http://www.neurology.org/about/about_the_journal#permissions

Reprints

Information about ordering reprints can be found online:
<http://n.neurology.org/subscribers/advertise>

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2018 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.