Teaching NeuroImages: Godtfredsen syndrome due to retroclival subdural hematoma

S. Deepak Amalnath, MD

Neurology® 2018;91:e999-e1000. doi:10.1212/WNL.0000000000006125

Correspondence

Dr. Amalnath
drdeepakmddm@
yahoo.co.in

Figure 1 Left 6th and 12th nerve palsies

On looking to the left, there is impaired abduction of the left eye (left 6th nerve palsy) and deviation of the tongue to left side (left 12th nerve palsy).

A 30-year-old woman presented with sudden onset headache of 2 days duration. She was on warfarin 7.5 mg once a day owing to prosthetic heart valves (international normalized ratio of 3.5).

The patient had isolated bilateral 6th and left 12th cranial nerve palsies (figure 1) with sparing of the 5th nerve.

Imaging showed a retroclival subdural hematoma extending from the posterior clinoid processes to the body of C2 vertebra, with compression of the brainstem (figure 2).

The unique combination of 6th and 12th nerve palsies helps to localize the lesion to the clivus¹ (Godtfredsen² syndrome or clival syndrome).

Of note, Godtfredsen² had attributed the 6th nerve palsy to invasion of the cavernous sinus by nasopharyngeal carcinoma and the 12th nerve palsy to retropharyngeal lymph node metastasis.

MORE ONLINE

→Teaching slides

links.lww.com/WNL/A651

From the Department of Medicine, Jawaharlal Institute of Postgraduate Medical Education and Research (JIPMER), Pondicherry, India.

Go to Neurology.org/N for full disclosures. Funding information and disclosures deemed relevant by the author, if any, are provided at the end of the article.

Figure 2 Retroclival subdural hematoma

CT brain (A) shows retroclival hematoma (black arrow) and MRI (B) shows the hematoma in the subdural space (white arrow) extending to the body of C2 vertebra.

Author contributions

S. Deepak. Amalnath did the study concept and design, acquisition of data analysis and interpretation of data.

Study funding

No targeted funding reported.

Disclosure

S.D. Amalnath reports no disclosures relevant to the manuscript. Go to [Neurology.org/N](https://www.neurology.org/N) for full disclosures.

References

1. Keane JR. Combined VIth and XIIth cranial nerve palsies: a clival syndrome. *Neurology* 2000;54:1540–1541.
2. Godtfredsen E. Ophthamo-neurological symptoms in connection with malignant nasopharyngeal tumours. *Br J Ophthalmol* 1947;31:78–100.

Neurology®

Teaching NeuroImages: Godtfredsen syndrome due to retroclival subdural hematoma

S. Deepak Amalnath

Neurology 2018;91:e999-e1000

DOI 10.1212/WNL.0000000000006125

This information is current as of September 3, 2018

Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/91/10/e999.full
References	This article cites 2 articles, 2 of which you can access for free at: http://n.neurology.org/content/91/10/e999.full#ref-list-1
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): All Cerebrovascular disease/Stroke http://n.neurology.org/cgi/collection/all_cerebrovascular_disease_stroke Clinical neurology examination http://n.neurology.org/cgi/collection/clinical_neurology_examination
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://www.neurology.org/about/about_the_journal#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/subscribers/advertise

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2018 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.