Deliberate gait scissoring to overcome freezing of gait in Parkinson disease

Jorik Nonnekes, MD, PhD, and Bastiaan R. Bloem, MD, PhD

Neurology® 2018;91:97. doi:10.1212/WNL.0000000000005780

Correspondence

Dr. Nonnekes
jorik.nonnekes@
radboudumc.nl

A 70-year-old man with Parkinson disease (PD) presented with gait scissoring, which he used purposely to overcome freezing of gait (video). This is important for 3 reasons. First, gait scissoring is traditionally equated with a functional disorder, but can apparently also be seen in PD.¹ Second, although balance impairments are common in PD, gait scissoring remains possible because patients have no mediolateral instabilities.² Third, adopting a different walking pattern is a common strategy to reduce freezing (several other walking patterns have been described), presumably involving use of alternative motor programs that are less dependent on automatized gait generation by the basal ganglia.¹

MORE ONLINE

→ Video

Author contributions

J.N. drafted the manuscript. B.B. collected video data and drafted the manuscript.

Study funding

No targeted funding reported.

Disclosure

The authors report no disclosures relevant to the manuscript. Go to Neurology.org/N for full disclosures.

References

1. Nonnekes J, Goselink RJM, Ruzicka E, Fasano A, Nutt JG, Bloem BR. Neurological disorders of gait, balance and posture: a sign-based approach. *Nat Rev Neurol* 2018;14:183–189.
2. Abdo WF, Borm GF, Munneke M, Verbeek MM, Esselink RA, Bloem BR. Ten steps to identify atypical parkinsonism. *J Neurol Neurosurg Psychiatry* 2006;77:1367–1369.

From the Departments of Rehabilitation (J.N.) and Neurology (B.R.B.), Donders Institute for Brain, Cognition and Behaviour, Radboud University Medical Centre, Nijmegen, the Netherlands.

Go to Neurology.org/N for full disclosures. Funding information and disclosures deemed relevant by the authors, if any, are provided at the end of the article.

Neurology®

Deliberate gait scissoring to overcome freezing of gait in Parkinson disease

Jorik Nonnekes and Bastiaan R. Bloem

Neurology 2018;91:97

DOI 10.1212/WNL.0000000000005780

This information is current as of July 9, 2018

Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/91/2/97.full
References	This article cites 2 articles, 1 of which you can access for free at: http://n.neurology.org/content/91/2/97.full#ref-list-1
Citations	This article has been cited by 1 HighWire-hosted articles: http://n.neurology.org/content/91/2/97.full##otherarticles
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): Gait disorders/ataxia http://n.neurology.org/cgi/collection/gait_disorders_ataxia Parkinson's disease/Parkinsonism http://n.neurology.org/cgi/collection/parkinsons_disease_parkinsonism
Permissions & Licensing	Information about reproducing this article in parts (figures,tables) or in its entirety can be found online at: http://www.neurology.org/about/about_the_journal#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/subscribers/advertise

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2018 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.