Teaching NeuroImages: Raccoon eye in subarachnoid hemorrhage

Marlien Aalbers, MD, PhD, and J. Marc C. van Dijk, MD, PhD

Neurology® 2019;92:e1534-e1535. doi:10.1212/WNL.0000000000007180

Correspondence

Dr. Aalbers
mwaalbers@gmail.com

Figure Raccoon eye in subarachnoid hemorrhage from right ophthalmic artery aneurysm

(A) Raccoon eye or periorbital ecchymosis. (B) CT demonstrates subarachnoid hemorrhage. Bilobar right ophthalmic artery aneurysm on (C) CT angiography and (D) angiogram. As it is partially located in the cavernous sinus, the immediate increased venous pressure in the cavernous sinus and (peri)orbital veins caused the ecchymosis.

A 73-year-old woman with a history of hypertension and diabetes presented with sudden headache and right-sided periorbital ecchymosis (figure). There was no history of trauma. Neurologic examination was unremarkable. Ophthalmologic examination revealed normal vision and intact ocular movements and no papilledema or retinal hemorrhage. CT angiography showed subarachnoid hemorrhage (SAH) from a right ophthalmic artery aneurysm (figure). The patient underwent successful endovascular treatment and made a full recovery. In addition

MORE ONLINE

→ Teaching slides

links.lww.com/WNL/A844

From the Department of Neurosurgery, University of Groningen, the Netherlands.

Go to Neurology.org/N for full disclosures. Funding information and disclosures deemed relevant by the authors, if any, are provided at the end of the article.

to skull fracture and cavernous sinus thrombosis, SAH is an important differential diagnosis of sudden severe headache with periorbital ecchymosis.

Study funding

No targeted funding reported.

Disclosure

The authors report no disclosures relevant to the manuscript. Go to [Neurology.org/N](https://www.neurology.org/N) for full disclosures.

Appendix Authors

Name	Location	Role	Contribution
Marlien W. Aalbers, MD, PhD	University of Groningen, the Netherlands	Author	Conceptualized manuscript and figure
J. Marc C. van Dijk, MD, PhD	University of Groningen, the Netherlands	Author	Revised manuscript

Neurology®

Teaching NeuroImages: Raccoon eye in subarachnoid hemorrhage

Marlien Aalbers and J. Marc C. van Dijk

Neurology 2019;92:e1534-e1535

DOI 10.1212/WNL.00000000000007180

This information is current as of March 25, 2019

Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/92/13/e1534.full
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): Clinical neurology examination http://n.neurology.org/cgi/collection/clinical_neurology_examination Eyelids http://n.neurology.org/cgi/collection/eyelids Subarachnoid hemorrhage http://n.neurology.org/cgi/collection/subarachnoid_hemorrhage
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://www.neurology.org/about/about_the_journal#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/subscribers/advertise

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2019 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.