Teaching NeurolImages: The curious case of the brainstem kink

Ratika Srivastava, MD, and Francois-Dominique Morneau-Jacob, MD

Neurology® 2019;92:e1933-e1934. doi:10.1212/WNL.0000000000007320

Correspondence

Dr. Srivastava
ratika@ualberta.ca

Figure 1 Prenatal imaging

Fetal half-Fourier acquisition single-shot turbo spin echo MRI demonstrates a small “kinked” brainstem (arrow) associated with severe supratentorial ventriculomegaly.

A 25-year-old woman presented for routine prenatal ultrasound, which was concerning for severe hydrocephalus. Fetal MRI at 22 weeks showed a brainstem “kink” that suggested arrest or impairment in brain maturation around 7 weeks gestation, a sign of severe neurodysgenesis (figure 1). Differential diagnoses included α -dystroglycanopathies, X-linked hydrocephalus, and tubulinoopathies.¹ Postnatal imaging (figure 2) and clinical findings of hypotonia, macrocephaly, and optic nerve hypoplasia were consistent with Walker-Warburg syndrome (WWS), confirmed on sequencing of the *ISPD* gene. WWS is a severe dystroglycanopathy of autosomal recessive inheritance characterized by muscle, eye, and brain abnormalities.² Death typically occurs within 1 year.

MORE ONLINE

→Teaching slides

links.lww.com/WNL/A861

Author contributions

R. Srivastava: drafting/revising the manuscript, data acquisition, accepts responsibility for conduct of research and final approval. F.-D. Morneau-Jacob: drafting/revising the manuscript, data acquisition, accepts responsibility for conduct of research and final approval.

Study funding

No targeted funding reported.

Disclosure

The authors report no disclosures relevant to the manuscript. Go to Neurology.org/N for full disclosures.

From the Department of Pediatrics (R.S.), Division of Neurology, Faculty of Medicine & Dentistry, Edmonton Clinic Health Academy, University of Alberta (F.-D.M.-J.), Edmonton, Canada.

Go to Neurology.org/N for full disclosures. Funding information and disclosures deemed relevant by the authors, if any, are provided at the end of the article.

References

1. Stroustrup Smith A, Levine D, Barnes PD, Robertson RL. MRI of the kinked fetal brainstem: a sign of severe dysgenesis. *J Ultrasound Med* 2005;24:1697–1709.
2. National Library of Medicine. Walker-Warburg Syndrome: Genetics Home Reference [Internet]. Bethesda: The Library; 2017. Available at: ghr.nlm.nih.gov/condition/walker-warburg-syndrome. Accessed October 17, 2018.

Neurology®

Teaching NeuroImages: The curious case of the brainstem kink

Ratika Srivastava and Francois-Dominique Morneau-Jacob

Neurology 2019;92:e1933-e1934

DOI 10.1212/WNL.00000000000007320

This information is current as of April 15, 2019

Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/92/16/e1933.full
References	This article cites 1 articles, 1 of which you can access for free at: http://n.neurology.org/content/92/16/e1933.full#ref-list-1
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): MRI http://n.neurology.org/cgi/collection/mri Muscle disease http://n.neurology.org/cgi/collection/muscle_disease Neonatal http://n.neurology.org/cgi/collection/neonatal
Permissions & Licensing	Information about reproducing this article in parts (figures,tables) or in its entirety can be found online at: http://www.neurology.org/about/about_the_journal#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/subscribers/advertise

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2019 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.