Teaching NeuroImages: A fuzzy determination of stroke onset

James E. Siegler, MD, Whitley W. Aamodt, MD, and Kelley A. Humbert, MD

Neurology® 2019;92:e2395-e2396. doi:10.1212/WNL.0000000000007511

Correspondence

Dr. Siegler
james.siegler@
uphs.upenn.edu

Figure Selected head and neck imaging, including photograph

(A) Representative axial head CT with areas of hypoattenuation (blue arrows) concerning for subacute infarction. (B) CT perfusion pattern of ischemic core (regional cerebral blood flow [CBF] <30% [pink]) and penumbra ($T_{max} > 6.0$ s [green]) volumes using RAPID (IschemaView, Redwood, CA), indicating a recent ischemic insult with potentially salvageable penumbra as calculated by the mismatch volume (20 mL tissue). (C) Non-occlusive thrombus (red arrowhead) without significant associated stenosis in the cervical right internal carotid artery. (D) In addition to the left lower facial weakness, the left side of the patient's face has lengthier facial hair compared to the right. This indicates he had shaved the right side more recently than the left.

A 73-year-old man with hypertension presented with left hemiparesis and left hemineglect of unclear duration. CT with angiography of the head and neck showed subacute infarcts of the right frontal lobe and a right internal carotid artery thrombus, with corresponding perfusion abnormalities that would have qualified him for thrombectomy (figure).¹ On closer examination, his facial hair asymmetry suggested a matured hemineglect to his left face. Based on the unenhanced imaging findings and facial hair asymmetry, we estimated his stroke onset to be more than 24 hours prior to evaluation, thereby disqualifying him for thrombectomy.

MORE ONLINE

→Teaching slides

links.lww.com/WNL/A885

From the Department of Neurology, Hospital of the University of Pennsylvania, Philadelphia.

Go to Neurology.org/N for full disclosures. Funding information and disclosures deemed relevant by the authors, if any, are provided at the end of the article.

Although we are increasingly reliant upon perfusion imaging to inform treatment decision-making, the time of symptom onset remains critical. When symptom onset is unknown, subtle clues may be helpful.

Author contributions

J.E. Siegler: drafting/revising the manuscript, data acquisition, study concept or design, analysis or interpretation of data, accepts responsibility for conduct of research and final approval, contribution of vital reagents/tools/patients, acquisition of data, study supervision. W.W. Aamodt: drafting/revising the manuscript, data acquisition, accepts responsibility for conduct of research and final approval. K.A. Humbert: data acquisition, analysis or interpretation of data,

accepts responsibility for conduct of research and final approval.

Study funding

No targeted funding reported.

Disclosure

The authors report no disclosures relevant to the manuscript. Go to Neurology.org/N for full disclosures.

Reference

1. Powers WJ, Rabinstein AA, Ackerson T, et al; American Heart Association Stroke Council. 2018 Guidelines for the early management of patients with acute ischemic stroke: a guideline for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke* 2018;49:e46–e110.

Neurology®

Teaching NeuroImages: A fuzzy determination of stroke onset

James E. Siegler, Whitley W. Aamodt and Kelley A. Humbert

Neurology 2019;92:e2395-e2396

DOI 10.1212/WNL.00000000000007511

This information is current as of May 13, 2019

Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/92/20/e2395.full
References	This article cites 1 articles, 1 of which you can access for free at: http://n.neurology.org/content/92/20/e2395.full#ref-list-1
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): CT http://n.neurology.org/cgi/collection/ct Infarction http://n.neurology.org/cgi/collection/infarction
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://www.neurology.org/about/about_the_journal#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/subscribers/advertise

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2019 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.