Teaching Video NeurolImages: Vertical one-and-a-half syndrome

Laura Donaldson, MD, PhD, and Edward Margolin, MD

Neurology® 2019;93:e1577-e1578. doi:10.1212/WNL.0000000000008332

Correspondence

Dr. Margolin
edmargin@gmail.com

Figure Right thalamomesencephalic stroke causing vertical one-and-a-half syndrome

(A) Sagittal (left) and axial (right) CT images show acute intraventricular, intrathalamic, and mesencephalic hemorrhage. (B) Coronal MRI slices show normal orbits (left: T1-weighted, right: T1-weighted fat-saturated postcontrast). (C) Susceptibility-weighted axial slice shows hemosiderin deposition and (D) T2-weighted fluid-attenuated inversion recovery images show volume loss in the right thalamus and midbrain months after the acute insult.

A 51-year-old woman with history of hypertension presented with left-sided weakness and diplopia. Imaging revealed a large hemorrhagic infarct involving the right thalamus and rostral midbrain with intraventricular extension (figure). Neuro-ophthalmic examination demonstrated bilateral upgaze palsy with limitation of infraduction on the right (video 1), overcome with a doll's head maneuver (video 2). Bilateral lid retraction was present with markedly reduced convergence along with convergence-retraction nystagmus. Vertical one-and-a-half syndrome is an uncommon presentation resulting from a unilateral thalamomesencephalic stroke with involvement of the rostral interstitial nucleus of the medial longitudinal fasciculus and posterior commissure¹ and was accompanied here by dorsal midbrain syndrome.

Study funding

No targeted funding reported.

MORE ONLINE

Video

Teaching slides

links.lww.com/WNL/A976

Disclosure

The authors report no disclosures relevant to the manuscript. Go to Neurology.org/N for full disclosures.

Appendix Authors

Name	Location	Role	Contribution
Laura Donaldson, MD, PhD	McMaster University, Hamilton, Canada	Author	Prepared the manuscript

Appendix *(continued)*

Name	Location	Role	Contribution
Edward Margolin, MD	University of Toronto, Canada	Corresponding author	Revised the manuscript for intellectual content

Reference

1. Bogousslavsky J, Regli F. Upgaze palsy and monocular paresis of downward gaze from ipsilateral thalamo-mesencephalic infarction: a vertical “one-and-a-half” syndrome. *J Neurol* 1984;231:43–45.

Neurology®

Teaching Video NeuroImages: Vertical one-and-a-half syndrome

Laura Donaldson and Edward Margolin

Neurology 2019;93:e1577-e1578

DOI 10.1212/WNL.00000000000008332

This information is current as of October 14, 2019

Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/93/16/e1577.full
References	This article cites 1 articles, 0 of which you can access for free at: http://n.neurology.org/content/93/16/e1577.full#ref-list-1
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): All Cerebrovascular disease/Stroke http://n.neurology.org/cgi/collection/all_cerebrovascular_disease_stroke Diplopia (double vision) http://n.neurology.org/cgi/collection/diplopia_double_vision Ocular motility http://n.neurology.org/cgi/collection/ocular_motility
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://www.neurology.org/about/about_the_journal#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/subscribers/advertise

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2019 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.