

Teaching NeuroImages: Frey syndrome

Anton Shcherbina, MD, and Elie Sader, MD

Neurology® 2019;93:e1993-e1994. doi:10.1212/WNL.0000000000008530

Correspondence

Dr. Shcherbina
antiplotus@gmail.com

Figure 1 Minor test, before treatment



Obtained after the patient chewed gum for 1 minute.

A 42-year-old woman presented with left facial sweating whenever she ate. Symptoms started 6 months after surgery for a benign left parotid tumor. The Minor starch-iodine test was performed, revealing areas of abnormal sweating (figure 1). Two weeks following intradermal injection of botulinum toxin targeting areas of hyperhidrosis, symptoms resolved and repeat Minor test revealed resolution of abnormal sweating (figure 2). Gustatory sweating is caused by abnormal innervation of facial sweat glands by sprouting parasympathetic fibers following an injury to auriculotemporal nerve.¹ The distribution can be patchy, making the Minor test essential to accurately target the involved area.

Author contributions

A. Shcherbina: drafting/revising the manuscript, data acquisition, accepts responsibility for conduct of research and final approval, contribution of vital reagents/tools/patients, acquisition of data, study supervision. E. Sader: drafting/revising the manuscript, analysis or interpretation of data, accepts responsibility for conduct of research and final approval, study supervision.

From the Boston Medical Center, MA.

Go to Neurology.org/N for full disclosures. Funding information and disclosures deemed relevant by the authors, if any, are provided at the end of the article.

Copyright © 2019 American Academy of Neurology

Copyright © 2019 American Academy of Neurology. Unauthorized reproduction of this article is prohibited.

MORE ONLINE

→ Teaching slides

links.lww.com/WNL/A996

Figure 2 Repeat Minor test, after treatment



Obtained after the patient chewed gum for 1 minute.

Study funding

No targeted funding reported.

Disclosure

The authors report no disclosures relevant to the manuscript. Go to [Neurology.org/N](https://www.neurology.org/N) for full disclosures.

Reference

1. Jansen S, Jerowski M, Ludwig L, Fischer-Krall E, Beutner D, Grosheva M. Botulinum toxin therapy in Frey's syndrome: a retrospective study of 440 treatments in 100 patients. *Clin Otolaryngol* 2017;42:295–300.

Neurology®

Teaching NeuroImages: Frey syndrome

Anton Shcherbina and Elie Sader

Neurology 2019;93:e1993-e1994

DOI 10.1212/WNL.00000000000008530

This information is current as of November 18, 2019

Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/93/21/e1993.full
References	This article cites 1 articles, 0 of which you can access for free at: http://n.neurology.org/content/93/21/e1993.full#ref-list-1
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): All Clinical Neurology http://n.neurology.org/cgi/collection/all_clinical_neurology Cranial neuropathy http://n.neurology.org/cgi/collection/cranial_neuropathy Other Education http://n.neurology.org/cgi/collection/other_education Peripheral nerve trauma http://n.neurology.org/cgi/collection/peripheral_nerve_trauma
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://www.neurology.org/about/about_the_journal#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/subscribers/advertise

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2019 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.

