Surgical treatment of chiasmal glioma in neurofibromatosis 1

Michael C. Brodsky, MD, Aaron M. Fairbanks, MD, and David J. Daniels, MD, PhD

Neurology® 2020;95:40-41. doi:10.1212/WNL.0000000000009732

Correspondence

Dr. Brodsky

Brodsky.michael@mayo.edu

A 3-year-old boy with neurofibromatosis 1 had 20/40 acuity OU with normal color vision, confrontation visual fields, and optic nerves. MRI showed a large mass in the suprasellar cistern with superior and anterior displacement of the chiasm (figure, A and B). He underwent transcallosal surgical resection of the tumor, with pathology demonstrating low-grade glioma. Six months later, visual acuity was 20/25 OU, with normal color vision and confrontation fields. MRI showed restoration of normal suprasellar anatomy (figure, C and D). Surgical resection can restore vision when an optic pathway

Figure Chiasmal glioma

(A) Preoperative sagittal MRI shows large egg-shaped chiasmal glioma (asterisk) filling the suprasellar cistern. The chiasm (arrow) is stretched and draped over the anterior aspect of the mass. (B) Preoperative coronal MRI shows large suprasellar mass (asterisk). (C) Postoperative sagittal MRI shows restoration of the normal suprasellar anatomy and normal position of the chiasm (arrow). (D) Postoperative coronal MRI shows normal suprasellar anatomy with residual chiasmal enlargement (arrows).

From the Departments of Ophthalmology (M.C.B., A.M.F.), Neurology (M.C.B.), and Neurosurgery (D.J.D.), Mayo Clinic, Rochester, MN.

Go to [Neurology.org/N](https://www.neurology.org/N) for full disclosures. Funding information and disclosures deemed relevant by the authors, if any, are provided at the end of the article.

glioma extends downward into the suprasellar cistern to extrinsically compress the chiasm.^{1,2}

Study funding

Study funded in part by a grant from the Knights Templar Eye Foundation, Flower Mound, TX, and Mayo Clinic, Rochester, MN.

Disclosure

The authors report no relevant disclosures. Go to Neurology.org/N for full disclosures.

Appendix Authors

Name	Location	Contribution
Michael C. Brodsky, MD	Departments of Ophthalmology and Neurology, Mayo Clinic, Rochester, MN	Patient care, data collection, clinical interpretation, manuscript preparation
Aaron M. Fairbanks, MD	Department of Ophthalmology, Mayo Clinic, Rochester, MN	Data collection, clinical interpretation, manuscript preparation
David J. Daniels, MD, PhD	Department of Neurosurgery, Mayo Clinic, Rochester, MN	Patient care, data collection, clinical interpretation, manuscript preparation

References

1. Wisoff JH, Abbott R, Epstein F. Surgical management of exophytic chiasmatic-hypothalamic tumors of childhood. *J Neurosurg* 1990;73:661–667.
2. Ahn Y, Cho BK, Kim SK, et al. Optic pathway glioma: outcome and prognostic factors in a surgical series. *Childs Nerv Syst* 2006;22:1136–1142.

Share Your Artistic Expressions in *Neurology* ‘Visions’

AAN members are urged to submit medically or scientifically related artistic images, such as photographs, photomicrographs, and paintings, to the “Visions” section of *Neurology*®. These images are creative in nature, rather than the medically instructive images published in the NeuroImages section. The image or series of up to six images may be black and white or color and must fit into one published journal page. Accompanying description should be 100 words or less; the title should be a maximum of 96 characters including spaces and punctuation.

Please access the Author Center at NPub.org/authors for full submission information.

Disputes & Debates: Rapid online correspondence

The editors encourage comments on recent articles through Disputes & Debates:

Access an article at Neurology.org/N and click on “MAKE COMMENT” beneath the article header. Responses will be posted as rapidly as possible.

Before submitting a comment to Disputes & Debates, remember the following:

- Disputes & Debates is restricted to comments about articles published in *Neurology* within the last 8 weeks
- Read previously posted comments; redundant comments will not be posted
- Your submission must be 200 words or less and have a maximum of 5 references; the first reference must be the article on which you are commenting
- You can include a maximum of 5 authors (including yourself)

Neurology®

Surgical treatment of chiasmal glioma in neurofibromatosis 1

Michael C. Brodsky, Aaron M. Fairbanks and David J. Daniels

Neurology 2020;95;40-41 Published Online before print June 11, 2020

DOI 10.1212/WNL.00000000000009732

This information is current as of June 11, 2020

Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/95/1/40.full
References	This article cites 2 articles, 0 of which you can access for free at: http://n.neurology.org/content/95/1/40.full#ref-list-1
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): All Oncology http://n.neurology.org/cgi/collection/all_oncology
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://www.neurology.org/about/about_the_journal#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/subscribers/advertise

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2020 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.