Teaching NeurolImages: An uncommon cause of carotid artery dissection

Fabry disease

Aikaterini Theodorou, MD, Lina Palaiodimou, MD, Panagiotis Kokotis, MD, PhD, Marianna Papadopoulou, MD, PhD, Spyridon Fradelos, MD, MSc, FEBO, Adamantia Voudouri, MD, PhD, Christina Zompola, MD, Georgios Magoufis, MD, Chrysa Arvaniti, MD, PhD, Anastasios Bonakis, MD, PhD, and Georgios Tsivgoulis, MD, PhD, MSc, FESO

Correspondence

Dr. Theodorou
katetho24@gmail.com

Neurology® 2020;95:e2711-e2713. doi:10.1212/WNL.0000000000010650

Figure 1 Digital subtraction angiography (DSA) findings

Diagnostic DSA reveals left cervical internal carotid artery occlusion due to underlying dissection with characteristic flame-shaped appearance (A). DSA images during (B, C) and at the end of mechanical thrombectomy (D) show extracranial and intracranial internal carotid artery recanalization and mural dissection (D; arrows).

Cervical internal carotid artery dissection (CAD), a leading cause of ischemic stroke in young adults, has been rarely associated with Fabry disease (FD).^{1,2} A 49-year-old man with left acute middle cerebral artery occlusion due to underlying spontaneous CAD received IV thrombolysis and mechanical thrombectomy, achieving complete reperfusion (figure 1).

Further diagnostic workup excluding other stroke etiologies revealed bilateral cornea verticillata and large-fiber sensory polyneuropathy with impaired lower limb temperature perception (figure 2, D–F). Low α -galactosidase levels and molecular genetic testing disclosing pathogenic GLA variant (c427G>A p.[Ala143Thr]) established FD diagnosis.

This case highlights that FD may represent a rare cause of CAD due to sphingolipid accumulation in vessel walls.

MORE ONLINE

→Teaching slides
links.lww.com/WNL/B191

From the Second Department of Neurology (A.T., L.P., M.P., C.Z., C.A., A.B., G.T.), National and Kapodistrian University of Athens, School of Medicine, "Attikon" University Hospital; Laboratory of Clinical Neurophysiology (P.K.), First Department of Neurology, School of Medicine, National and Kapodistrian University of Athens, "Aiginition" University Hospital; Department of Physiotherapy (M.P.), University of West Attica; Ophthalmological Center "Voudouri Adamantia" (S.F., A.V.), Athens; and Department of Interventional Neuroradiology (G.M.), Metropolitan Hospital, Piraeus, Greece.

Go to Neurology.org/N for full disclosures. Funding information and disclosures deemed relevant by the authors, if any, are provided at the end of the article.

Figure 2 Diagnostic workup in Fabry disease

(A; arrows) Hyperdense middle cerebral artery (MCA) sign in the left M1 segment on baseline brain CT. (B) Post-thrombectomy digital subtraction angiography reveals complete reperfusion (Thrombolysis in Cerebral Infarction [TICI] 2B). (C; arrow) Residual basal ganglia infarction is depicted on follow-up brain MRI. (D, E) Quantitative sensory tests show impairment of cold and warm perception in the lower limbs and (F) corneal confocal microscopy reveals bilateral cornea verticillata. CDT-HDT = cold and heat detection thresholds.

Study funding

No targeted funding reported.

Disclosure

The authors report no disclosures relevant to the manuscript. Go to Neurology.org/N for full disclosures.

Appendix Authors

Name	Location	Contribution
Aikaterini Theodorou, MD	"Attikon" University Hospital Athens, Greece	Drafting and revising the manuscript
Lina Palaodimou, MD	"Attikon" University Hospital Athens, Greece	Data collection, critical comments during manuscript revision
Panagiotis Kokotis, MD, PhD	"Aiginiteion" University Hospital, Athens, Greece	Data collection, critical comments during manuscript revision
Marianna Papadopoulou, MD, PhD	University of West Attica, Athens, Greece	Critical comments during manuscript revision
Spyridon Fradelos, MD, MSc, FEBO	Ophthalmologic Center "Voudouri Adamantia," Athens, Greece	Data collection, critical comments during manuscript revision

Appendix (continued)

Name	Location	Contribution
Adamantia Voudouri, MD, PhD	Ophthalmologic Center "Voudouri Adamantia," Athens, Greece	Data collection, critical comments during manuscript revision
Christina Zompola, MD	"Attikon" University Hospital Athens, Greece	Data collection, critical comments during manuscript revision
Georgios Magoufis, MD	Metropolitan Hospital, Piraeus, Greece	Data collection, critical comments during manuscript revision
Chrysa Arvaniti, MD, PhD	"Attikon" University Hospital Athens, Greece	Critical comments during manuscript revision
Anastasios Bonakis, MD, PhD	"Attikon" University Hospital Athens, Greece	Critical comments during manuscript revision
Georgios Tsivgoulis, MD, PhD, MSc, FESO	"Attikon" University Hospital Athens, Greece	Data collection, drafting the manuscript

References

1. Kolodny E, Fellgiebel A, Hilz MJ, et al. Cerebrovascular involvement in Fabry disease: current status of knowledge. *Stroke* 2015;46:302–313.
2. Brouns R, Thijs V, Eyskens F, et al. Belgian Fabry study: prevalence of Fabry disease in a cohort of 1000 young patients with cerebrovascular disease. *Stroke* 2010;41:863–868.

Neurology®

Teaching NeuroImages: An uncommon cause of carotid artery dissection: Fabry disease

Aikaterini Theodorou, Lina Palaodimou, Panagiotis Kokotis, et al.
Neurology 2020;95:e2711-e2713 Published Online before print August 14, 2020
DOI 10.1212/WNL.0000000000010650

This information is current as of August 14, 2020

Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/95/19/e2711.full
References	This article cites 2 articles, 2 of which you can access for free at: http://n.neurology.org/content/95/19/e2711.full#ref-list-1
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): All Cerebrovascular disease/Stroke http://n.neurology.org/cgi/collection/all_cerebrovascular_disease_stroke Carotid artery dissection http://n.neurology.org/cgi/collection/carotid_artery_dissection CT http://n.neurology.org/cgi/collection/ct MRI http://n.neurology.org/cgi/collection/mri Stroke in young adults http://n.neurology.org/cgi/collection/stroke_in_young_adults
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://www.neurology.org/about/about_the_journal#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/subscribers/advertise

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2020 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.