Teaching NeuroImages: Cytotoxic lesions of the corpus callosum in encephalopathic patients with COVID-19

Myriam Edjlali, MD, PhD, Aurélie Le Gal, MD, Martin Louvet, MD, Morgan Matt, MD, Christophe Leveque, MD, Caroline Diffre, MD, David Orlikowski, MD, PhD, Djillali Annane, MD, PhD, and Robert-Yves Carlier, MD, PhD, on behalf of The Garches COVID-19 Collaborative Group

Neurology® 2020;95:1021-1022. doi:10.1212/WNL.0000000000010880

Correspondence

Dr. Edjlali
myriam.edjlali@gmail.com

Figure Typical aspect of cytotoxic lesion of the corpus callosum (CLOCC) in patients positive for COVID-19

Ovoid lesion of the splenium of the corpus callosum, with increased T2/FLAIR signal (A.a, A.b), diffusion-weighted imaging hyperintensity (B.a, B.c) with abnormal restricted diffusion on multichromatic apparent diffusion coefficient maps (B.b, B.d) (ADC values $<500 \times 10^{-6} \text{ mm}^2/\text{s}$), and reduced T1 signal without enhancement (C).

MORE ONLINE

→Teaching slides

links.lww.com/WNL/B239

COVID-19 Resources

For the latest articles, invited commentaries, and blogs from physicians around the world

NPub.org/COVID19

Two men, aged 49 and 51 years, with acute encephalopathy and rapid clinical deterioration were transferred to the intensive care unit. Both were recently tested positive for coronavirus disease 2019 on nasopharyngeal swab. On brain MRI, a lesion of the splenium of the corpus callosum was found, with T2-FLAIR hyperintensity and restricted diffusion (figure). This pattern is characteristic of cytotoxic lesion of the corpus callosum, an entity described previously as secondary to an underlying cause such as infection, drug toxicity, subarachnoid hemorrhage, history of CNS malignancy, or metabolic disorders.¹ These lesions are nonischemic lesions, usually transient and reversible on

From the Department of Radiology (M.E., C.D., R.-Y.C.), APHP, Hôpitaux R. Poincaré-A Paré, DMU Smart Imaging, GH Université Paris-Saclay; Department of Neuroradiology (M.E.), Université Paris-Descartes-Sorbonne-Paris-Cité, IMABRAIN-INSERM-UMR1266, DHU-Neurovasc, Centre Hospitalier Sainte-Anne, Paris; Department of Internal Medicine (A.L.G., M.M.), APHP, Hôpitaux R. Poincaré-A Paré, DMU Smart Imaging, GH Université Paris-Saclay; Department of Imaging (M.L., C.L.), Hôpital Privé de Parly II, Le Chesnay; and FHU SEPSIS (Saclay and Paris Seine Nord Endeavour to Personalize Interventions for Sepsis) (D.O., D.A.), RHU RECORDS (Rapid rEcognition of CORTicosteroid resistant or sensitive Sepsis), Department of Intensive Care, Hôpital Raymond Poincaré (GHU APHP Université Paris Saclay), Laboratory of Infection & Inflammation—U1173, School of Medicine Simone Veil, University Versailles Saint Quentin—University Paris Saclay, INSERM, Garches, France.

Go to Neurology.org/N for full disclosures. Funding information and disclosures deemed relevant by the authors, if any, are provided at the end of the article.

The Garches COVID-19 Collaborative Group coinvestigators are listed at links.lww.com/WNL/B238

follow-up. The underlying mechanism relies on the vulnerability of the splenium of the corpus callosum to cytokinopathy.

Study funding

No targeted funding reported.

Disclosure

The authors report no disclosures. Go to [Neurology.org/N](https://www.neurology.org/N) for full disclosures.

Appendix 1 Authors

Name	Location	Contribution
Myriam Edjlali, MD, PhD	APHP, DMU Smart Imaging, GH Université Paris-Saclay, France	Designed and conceptualized the study; analyzed the data; and drafted the manuscript for intellectual content
Aurélien Le Gal, MD	APHP, GH Université Paris-Saclay, France	Major role in the acquisition of data
Martin Louvet, MD	Hôpital Privé de Parly II, Le Chesnay, France	Major role in the acquisition of data
Morgan Matt, MD	APHP, GH Université Paris-Saclay, France	Revised the manuscript for intellectual content
Christophe Leveque, MD	Hôpital Privé de Parly II, Le Chesnay, France	Revised the manuscript for intellectual content

Appendix 1 (continued)

Name	Location	Contribution
Caroline Diffre, MD	APHP, GH Université Paris-Saclay, France	Major role in the acquisition of data
David Orlikowski, MD, PhD	APHP, GH Université Paris-Saclay, France	Analyzed the data and revised the manuscript for intellectual content
Djillali Annane, MD, PhD	APHP, GH Université Paris-Saclay, France	Analyzed the data and revised the manuscript for intellectual content
Robert-Yves Carlier, MD, PhD	APHP, DMU Smart Imaging, GH Université Paris-Saclay, France	Analyzed the data and revised the manuscript for intellectual content

Appendix 2 Coinvestigators

Coinvestigators are listed at [links.lww.com/WNL/B238](https://www.links.lww.com/WNL/B238)

Reference

1. Starkey J, Kobayashi N, Numaguchi Y, Moritani T. Cytotoxic lesions of the corpus callosum that show restricted diffusion: mechanisms, causes, and manifestations. *Radiogr Rev Publ Radiol Soc N Am Inc* 2017;37:S62–S76.

NEW EPISODE

Neurology[®]

PODCAST

December 1, 2020

Idiopathic distal sensory polyneuropathy: ACTION diagnostic criteria (see p. 1005)

In the first segment, Dr. Stacey Clardy talks with Dr. Roy Freeman about his paper discussing idiopathic distal sensory polyneuropathy. In the second part of the podcast, Dr. Clardy speaks with Dr. Justin McArthur about his research, work, and the National Academy of Medicine Award.

Disclosures can be found at [Neurology.org](https://www.neurology.org).

CME Opportunity: Listen to this week's Neurology Podcast and earn 0.5 AMA PRA Category 1 CME Credits™ by completing the online Podcast quiz.

Neurology®

Teaching NeuroImages: Cytotoxic lesions of the corpus callosum in encephalopathic patients with COVID-19

Myriam Edjlali, Aurélie Le Gal, Martin Louvet, et al.

Neurology 2020;95;1021-1022 Published Online before print September 16, 2020

DOI 10.1212/WNL.00000000000010880

This information is current as of September 16, 2020

Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/95/22/1021.full
References	This article cites 1 articles, 0 of which you can access for free at: http://n.neurology.org/content/95/22/1021.full#ref-list-1
Citations	This article has been cited by 1 HighWire-hosted articles: http://n.neurology.org/content/95/22/1021.full##otherarticles
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): Encephalitis http://n.neurology.org/cgi/collection/encephalitis
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://www.neurology.org/about/about_the_journal#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/subscribers/advertise

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2020 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.