Teaching NeuroImages: Tuberculous meningitis

Remembering the Rich focus

Olwen C. Murphy, MBBCh, MRCPI, and Carlos A. Pardo, MD

Neurology® 2020;95:e3452-e3453. doi:10.1212/WNL.0000000000010756

Correspondence

Dr. Pardo
cpardov1@jhmi.edu

Figure Evolution of leptomeningeal abnormality over 3 years leading up to the clinical presentation with tuberculous meningitis

Images from the MRI brain acquired 3 years before presentation with meningitis (A: axial T1 postcontrast and B: sagittal T1 postcontrast) and on the day of presentation with meningitis (C: axial T1 postcontrast, D: sagittal T1 postcontrast). Arrows indicate the areas of nodular leptomeningeal enhancement that expanded over the 3-year interval.

Tuberculosis (TB) infection can seed in the meninges or cortex as silent caseous foci. TB meningitis occurs when one of these foci—the Rich focus¹—ruptures and releases *Mycobacterium tuberculosis* bacilli into the subarachnoid space.² This natural history has rarely been confirmed in vivo.

MORE ONLINE

→Teaching slides
links.lww.com/WNL/B203

From the Division of Neuroimmunology and Neurological Infections, Johns Hopkins Hospital, Baltimore, MD.

Go to Neurology.org/N for full disclosures. Funding information and disclosures deemed relevant by the authors, if any, are provided at the end of the article.

Table Results of CSF studies and other relevant investigations

	3 years before meningitis	At presentation with meningitis
CSF white cell count (tube 4)	1 per mm ³	213 per mm ³
Lymphocytes	100%	56%
Neutrophils	0%	42%
CSF red cell count (tube 4)	0 per mm ³	8 per mm ³
CSF protein (normal 15.0–45.0)	47.7 mg/dL	114.5 mg/dL
CSF glucose	57 mg/dL	38 mg/dL
CSF oligoclonal bands	Not tested	Negative
CSF IgG index (normal 0.2–0.8)	Not tested	0.52
Serum glucose	91 mg/dL	105 mg/dL
Glucose CSF:serum ratio	0.63	0.36
CSF bacterial, mycobacterial, and fungal cultures	No growth	Positive for mycobacterium tuberculosis
CT chest, abdomen, and pelvis	A single 0.4 cm calcified granuloma in the right lung and a few small calcified lymph nodes in the mediastinum	No change to previous findings
FDG-PET body	No areas of abnormal metabolic activity. No evidence of sarcoidosis or malignancy.	—

FDG = fluorodeoxyglucose.

A 40-year-old woman with a history of latent TB infection treated in childhood presented with acute fever and headache and was diagnosed with TB meningitis. Three years before, an incidental leptomeningeal abnormality was identified during evaluation for concussion (figure), but investigations yielded no etiology (table). In retrospect, we concluded that it represented a longstanding Rich focus.

Study funding

No targeted funding reported.

Disclosure

The authors report no disclosure relevant to the manuscript. Go to [Neurology.org/N](https://www.neurology.org/N) for full disclosures.

Appendix Authors

Name	Location	Contribution
Olwen C. Murphy, MBBCh, MRCPI	Johns Hopkins Hospital and Johns Hopkins School of Medicine, Baltimore, MD	Analyzed the data and drafted the manuscript for intellectual content
Carlos A. Pardo, MD	Johns Hopkins Hospital and Johns Hopkins School of Medicine, Baltimore, MD	Design and conceptualized the study, analyzed the data, and reviewed the report for intellectual content

References

1. Rich AR, McCordock HA. The pathogenesis of tuberculous meningitis. *Bull Johns Hopkins Hosp* 1933;2–37.
2. Donald PR, Schaaf HS, Schoeman JF. Tuberculous meningitis and miliary tuberculosis: the rich focus revisited. *J Infect* 2005;50:193–195.

Neurology®

Teaching NeuroImages: Tuberculous meningitis: Remembering the Rich focus

Olwen C. Murphy and Carlos A. Pardo

Neurology 2020;95:e3452-e3453 Published Online before print September 24, 2020

DOI 10.1212/WNL.0000000000010756

This information is current as of September 24, 2020

Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/95/24/e3452.full
References	This article cites 1 articles, 0 of which you can access for free at: http://n.neurology.org/content/95/24/e3452.full#ref-list-1
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): All Infections http://n.neurology.org/cgi/collection/all_infections Bacterial infections http://n.neurology.org/cgi/collection/bacterial_infections Meningitis http://n.neurology.org/cgi/collection/meningitis
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://www.neurology.org/about/about_the_journal#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/subscribers/advertise

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2020 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.