Progressive Neurologic Symptoms in the Setting of HIV

A Rare Case of Neurosymptomatic CSF HIV Escape

Laura B. Eisenmenger, MD, Benjamin D. Sawatzky, MD, Jesse M. Manunga, MD, James M. Sosman, MD, Howard A. Rowley, MD, and Anthony D. Kurer, MD

Neurology® 2021;97:389-390. doi:10.1212/WNL.00000000000012238

Correspondence

Dr. Eisenmenger
leisenmenger@
uwhealth.edu

Figure 1 MRIs Over the Disease Course of Neurosymptomatic CSF HIV Escape

(A) 2018: nonspecific confluent areas of white matter T2-weighted fluid-attenuated inversion recovery (FLAIR) hyperintensity, commonly seen with HIV encephalopathy. (B) 2019: worsening symptoms, worsening white matter T2-weighted FLAIR hyperintensity, and new, stippled perivascular distribution enhancement (arrows), not characteristic of HIV encephalopathy. (C) 2020: after modified antiretroviral therapy targeted for neural penetration, enhancement and T2-weighted FLAIR hyperintensity improved.

A 54-year-old man with HIV infection on suppressive antiretroviral therapy (ART) presented with progressive gait difficulty over 1 year. MRI demonstrated increasingly predominant white matter hyperintensity and development of abnormal perivascular enhancement (figure 1). An extensive workup excluded atypical infections, CNS lymphoma, sarcoidosis, vasculitis, and other autoimmune diseases. Serum HIV viral RNA was 160 copies/mL; CSF HIV viral RNA was 1,390 copies/mL with a mild lymphocytic pleocytosis, consistent with a diagnosis of neurosymptomatic CSF HIV escape, viral CSF sequestration despite ART.¹ Whereas white matter hyperintensity is

From the Departments of Radiology (L.B.E., H.A.R., A.D.K.) and Medicine (J.M.S.), University of Wisconsin, Madison; Department of Radiology (B.D.S.), University of Vermont, Burlington; and Division of Vascular and Endovascular Surgery (J.M.M.), Minneapolis Heart Institute, Abbott Northwestern Hospital, MN.

Go to [Neurology.org/N](https://www.neurology.org/N) for full disclosures. Funding information and disclosures deemed relevant by the authors, if any, are provided at the end of the article.

The Article Processing Charge was funded by the authors.

This is an open access article distributed under the terms of the Creative Commons Attribution-NonCommercial-NoDerivatives License 4.0 (CC BY-NC-ND), which permits downloading and sharing the work provided it is properly cited. The work cannot be changed in any way or used commercially without permission from the journal.

Figure 2 Value of Maximum Intensity Projection (MIP) Images for Subtle Perivascular Enhancement

2019 MRI during maximal symptomatology. (A) T2-weighted imaging (T2WI) and (B) T2-weighted fluid-attenuated inversion recovery (FLAIR) images with diffuse cerebral white matter hyperintensity. (C) Abnormal enhancement on T1-weighted post-contrast (T1WI + C) images with subtle stippling in a perivascular distribution; however, (D) T1-weighted postcontrast MIPs highlight the linear perivascular (arrows) and surrounding patchy parenchymal enhancement.

nonspecific in HIV, the key to CSF HIV escape diagnosis is recognizing the abnormal perivascular enhancement (figure 2).² Clinical course and imaging findings improved with modified ART targeting neuropenetrating.

Study Funding

L.B. Eisenmenger's effort on this work was supported by the Clinical and Translational Science Award (CTSA) program through the NIH National Center for Advancing Translational Sciences (NCATS), grants UL1TR002373 and KL2TR002374. The content is solely the responsibility of the authors and does not necessarily represent the official views of the NIH.

Disclosure

The authors report no disclosures relevant to the manuscript. Go to Neurology.org/N for full disclosures.

Appendix Authors

Name	Location	Contribution
Laura B. Eisenmenger, MD	Department of Radiology, University of Wisconsin–Madison	Designed and conceptualized study, major role in the acquisition of data, analyzed the data, drafted the manuscript for intellectual content

Appendix (continued)

Name	Location	Contribution
Benjamin D. Sawatzky, MD	Department of Radiology, University of Vermont	Major role in the acquisition of data, interpreted the data, revised the manuscript for intellectual content
Jesse M. Manunga, MD	Division of Vascular and Endovascular Surgery, Minneapolis Heart Institute, Abbott Northwestern Hospital	Analyzed the data, edited the manuscript for intellectual content
James M. Sosman, MD	Department of Medicine, University of Wisconsin–Madison	Analyzed the data, edited the manuscript for intellectual content
Howard A. Rowley, MD	Department of Radiology, University of Wisconsin–Madison	Major role in the acquisition of data, analyzed the data, revised the manuscript for intellectual content
Anthony D. Kuner, MD	Department of Radiology, University of Wisconsin–Madison	Designed and conceptualized study, analyzed the data, revised the manuscript for intellectual content

References

1. Winston A, Antinori A, Cinque P, et al. Defining cerebrospinal fluid HIV RNA escape: editorial review *AIDS*. 2019;33(suppl 2):S107–S111.
2. Narvid J, Callen A, Talbott J, et al. Brain MRI features of CSF human immunodeficiency virus escape. *J Neuroimaging*. 2018;28(6):601–607.

Neurology®

Progressive Neurologic Symptoms in the Setting of HIV: A Rare Case of Neurosymptomatic CSF HIV Escape

Laura B. Eisenmenger, Benjamin D. Sawatzky, Jesse M. Manunga, et al.
Neurology 2021;97:389-390 Published Online before print May 26, 2021
DOI 10.1212/WNL.00000000000012238

This information is current as of May 26, 2021

Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/97/8/389.full
References	This article cites 2 articles, 0 of which you can access for free at: http://n.neurology.org/content/97/8/389.full#ref-list-1
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): All Imaging http://n.neurology.org/cgi/collection/all_imaging HIV http://n.neurology.org/cgi/collection/hiv MRI http://n.neurology.org/cgi/collection/mri
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://www.neurology.org/about/about_the_journal#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/subscribers/advertise

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2021 The Author(s). Published by Wolters Kluwer Health, Inc. on behalf of the American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.