Neurology Publish Ahead of Print
DOI: 10.1212/WNL.0000000000013261

Teaching NeuroImage: Clastrum Sign in Febrile Infection-Related Epilepsy Syndrome

Author(s):

Lorenzo Muccioli, MD¹; Umberto Pensato, MD¹; Lidia Di Vito, MD²; Monica Messina, MD²; Marianna Nicodemo, MD²; Paolo Tinuper, MD^{1,2}

Equal Author Contributions:

Lorenzo Muccioli and Umberto Pensato contributed equally to this work (co-first authors)

Neurology® Published Ahead of Print articles have been peer reviewed and accepted for publication. This manuscript will be published in its final form after copyediting, page composition, and review of proofs. Errors that could affect the content may be corrected during these processes.

Corresponding Author:

Lorenzo Muccioli
lorenzo.muccioli@gmail.com

Affiliation Information for All Authors: 1. Department of Biomedical and Neuromotor Sciences, University of Bologna, Bologna, Italy; 2. IRCCS Istituto delle Scienze Neurologiche di Bologna, Bologna, Italy

Contributions:

Lorenzo Muccioli: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data; Study concept or design; Analysis or interpretation of data
Umberto Pensato: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data; Study concept or design; Analysis or interpretation of data
Lidia Di Vito: Major role in the acquisition of data; Analysis or interpretation of data
Monica Messina: Major role in the acquisition of data; Analysis or interpretation of data
Marianna Nicodemo: Major role in the acquisition of data; Analysis or interpretation of data
Paolo Tinuper: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data; Study concept or design; Analysis or interpretation of data

Number of characters in title: 69

Abstract Word count:

Word count of main text: 100

References: 3

Figures: 2

Tables: 0

Neuroimage Legend Count: 43

Supplemental: Patient consent-to-disclose form

Search Terms: [297] Status epilepticus, [120] MRI, [132] Autoimmune diseases, [137] Encephalitis

Acknowledgements: We thank Prof. Federica Provini, Dr. Maria Guarino and Dr. Roberto D'Angelo for their substantial role in the management of the reported patient.

Study Funding: This research received funding from a grant of the Italian Ministry of Health: Status epilepticus: improving therapeutic and quality of care intervention in the Emilia-Romagna region. Project code: RF-2016-02361365

Disclosures: The authors report no disclosures relevant to the manuscript.

A 40-year-old woman presented with acute encephalopathy and super-refractory status epilepticus six days after a febrile illness. An extensive diagnostic work-up was negative. EEG and brain MRI showed right-predominant abnormalities, including claustrum T2/FLAIR hyperintensity, the so-called claustrum sign (Figures 1-2). This finding has been described in patients with febrile infection-related epilepsy syndrome (FIRES),¹ a subcategory of new-onset refractory status epilepticus (NORSE) triggered by cytokine storm.² As the claustrum sign has been reported also in other cytokine storm-associated disorders, including acute necrotizing encephalopathy, COVID-19-related encephalopathy, and immune effector cell-associated neurotoxicity syndrome (ICANS),³ it may represent a specific marker of cytokine-mediated neuroinflammation.

Figure legend

Figure 1: MRI (FLAIR; A, axial; B, coronal) performed 30 days after the onset of status epilepticus showed right-predominant hyperintensity and swelling of the claustrum, pulvinar and hippocampus.

Figure 2: EEG showed bilateral asymmetric lateralized periodic discharges, predominant in the right fronto-temporal region.

[AZ 12.16.2021] 176901 Teaching Slides -- <http://links.lww.com/WNL/B731>

References

1. Meletti S, Slonkova J, Mareckova I, et al. Claustrum damage and refractory status epilepticus following febrile illness. *Neurology* 2015;85:1224-32.
2. Gaspard, N, Hirsch, LJ, Sculier, C, et al. New-onset refractory status epilepticus (NORSE) and febrile infection-related epilepsy syndrome (FIRES): State of the art and perspectives. *Epilepsia* 2018; 59: 745– 752.
3. Pensato U, Muccioli L, Cani I, et al. Brain dysfunction in COVID-19 and CAR-T therapy: cytokine storm-associated encephalopathy. *Ann Clin Transl Neurol* 2021;8(4):968-979.

Neurology®

Teaching NeuroImage: Claustrum Sign in Febrile Infection-Related Epilepsy Syndrome

Lorenzo Muccioli, Umberto Pensato, Lidia Di Vito, et al.

Neurology published online December 22, 2021

DOI 10.1212/WNL.0000000000013261

This information is current as of December 22, 2021

Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/early/2021/12/22/WNL.0000000000013261.citation.full
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): Autoimmune diseases http://n.neurology.org/cgi/collection/autoimmune_diseases Encephalitis http://n.neurology.org/cgi/collection/encephalitis MRI http://n.neurology.org/cgi/collection/mri Status epilepticus http://n.neurology.org/cgi/collection/status_epilepticus
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://www.neurology.org/about/about_the_journal#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/subscribers/advertise

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2021 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.