

OPEN

Neurology Publish Ahead of Print
DOI: 10.1212/WNL.000000000201654

Prevalence of Spinal Muscular Atrophy in the Era of Disease-Modifying Therapies: An Italian Nationwide Survey

This is an open access article distributed under the terms of the Creative Commons Attribution-Non Commercial-No Derivatives License 4.0 (CCBY-NC-ND), where it is permissible to download and share the work provided it is properly cited. The work cannot be changed in any way or used commercially without permission from the journal.

Neurology[®] Published Ahead of Print articles have been peer reviewed and accepted for publication. This manuscript will be published in its final form after copyediting, page composition, and review of proofs. Errors that could affect the content may be corrected during these processes.

Author(s):

Giorgia Coratti, PhD^{1,2}; Martina Ricci, MD^{1,2}; Anna Capasso, MD^{1,2}; ADELE D'AMICO, PhD³; Valeria Sansone, PhD⁴; Claudio Bruno, PhD⁵; Sonia Messina, PhD⁶; Federica Ricci, PhD⁷; Tiziana Mongini, PhD⁷; Michela Coccia, PhD⁸; Gabriele Siciliano, PhD⁹; Elena Pegoraro, PhD¹⁰; Mara Turri, MD¹¹; Massimiliano Filosto, PhD¹²; Giacomo Comi, MD^{13,14}; Riccardo Masson, MD¹⁵; Lorenzo Maggi, MD¹⁶; Irene Bruno, PhD¹⁷; Maria Grazia D'Angelo, PhD¹⁸; Antonio Trabacca, MD¹⁹; Veria Vacchiano, MD²⁰; MARIA DONATI, MD²¹; Isabella Simone, MD²²; LUCIA RUGGIERO, PhD²³; Antonio Varone, MD²⁴; Lorenzo Verriello, MD²⁵; Angela Berardinelli, MD²⁶; Caterina Agosto, MD²⁷; Antonella Pini, PhD²⁸; Maria Antonietta Maioli, PhD²⁹; Luigia Passamano, PhD³⁰; Filippo Brighina, MD³¹; Nicola Carboni, MD³²; Matteo Garibaldi, PhD³³; Riccardo Zuccarino, MD, PhD³⁴; Delio Gagliardi, MD³⁵; Sabrina Siliquini, MD³⁶; Stefano Previtali, MD, PhD³⁷; Domenica Taruscio, MD³⁸; Stefania Boccia, PhD³⁹; MARIA CARMELA PERA, PhD^{1,2}; marika pane, PhD^{1,2}; Eugenio Mercuri, MD^{1,2} on behalf of ITASMAC working group

Corresponding Author:

Eugenio Mercuri, eumercuri@gmail.com

Affiliation Information for All Authors: 1. Pediatric Neurology, Università Cattolica del Sacro Cuore, Rome, Italy; 2. Centro Clinico Nemo, Fondazione Policlinico Universitario Agostino Gemelli IRCCS, Rome; 3. Department of Neurosciences, Unit of Neuromuscular and Neurodegenerative Disorders, Bambino Gesù Children's Hospital, IRCCS, Rome, Italy. 4. The NEMO Center in Milan, Neurorehabilitation Unit, University of Milan, ASST Niguarda Hospital, Milan, Italy; 5. Center of Translational and Experimental Myology, and Dept. of Neuroscience, Rehabilitation, Ophthalmology, Genetics, Maternal and Child Health, University of Genova, IRCCS Istituto Giannina Gaslini, Genova, Italy; 6. Department of Clinical and Experimental Medicine, University of Messina, Messina, Italy; 7. AOU Città della Salute e della Scienza di Torino, presidio Molinette e OIRM (SS Malattie neuromuscolari e SC Neuropsichiatria Infantile), Turin, Italy; 8. Department of Neurological Sciences, AOU Ospedali Riuniti di Ancona, Ancona, Italy; 9. AOU Pisana (Department of Clinical and Experimental Medicine), Neurology Unit, Pisa, Italy; 10. Neurology Unit, Azienda Ospedale Padova, Padua, Italy; 11. Department of Neurology/Stroke Unit, Bolzano Hospital, Bolzano, Trentino-Alto Adige, Italy; 12. Department of Clinical and Experimental Sciences, University of Brescia (Italy); NeMO-Brescia Clinical Center for Neuromuscular Diseases, Brescia (Italy); 13. Neurology Unit, Fondazione IRCCS Ca' Granda Ospedale Maggiore Policlinico, Milan, Italy 14. Dino Ferrari Center, Department of Pathophysiology and Transplantation, University of Milan, Milan, Italy 15. Fondazione IRCCS Istituto Neurologico Carlo Besta Developmental Neurology Unit, Milan, Italy; 16. Neuroimmunology and Neuromuscular Disorders Unit, Fondazione IRCCS Istituto Neurologico Carlo Besta, Milan, Italy; 17. Institute for Maternal and Child Health, IRCCS, Burlo Garofolo, Trieste, Italy; 18. NeuroMuscular Unit, Scientific Institute IRCCS E. Medea, Bosisio Parini (Lecco), Italy; 19. Scientific Institute IRCCS "E. Medea", Unit for Severe disabilities in developmental age and young adults (Developmental

Neurology and Neurorehabilitation), Brindisi, Italy; 20. UOC Clinica Neurologica, IRCCS Institute of Neurological Sciences of Bologna, Bologna, Emilia-Romagna, Italy; 21. Metabolic Unit, A. Meyer Children's Hospital, 50139 Florence, Italy; 22. Neurology unit, Azienda Ospedaliero-Universitaria, Policlinico Bari "Amaducci", Bari, Italy; 23. Department of Neurosciences, Reproductive Sciences and Odontostomatology, University of Naples Federico II, Naples, Italy; 24. Department of Neurosciences, Pediatric Neurology, Santobono-Pausilipon Children's Hospital, Naples, Italy; 25. Neurology Unit, Department of Neurosciences, University Hospital Santa Maria della Misericordia, Udine, Friuli-Venezia Giulia, Italy; 26. Department of Child Neuropsychiatry, Fondazione Istituto Neurologico Nazionale C Mondino Istituto di Ricovero e Cura a Carattere Scientifico, Pavia, Italy; 27. Dipartimento di Salute della Donna e del Bambino, Università di Padova, Padua, Italy; 28. IRCCS Istituto delle Scienze Neurologiche di Bologna-UOC Neuropsichiatria Infantile, Bologna, Italy; 29. Centro Sclerosi Multipla, P.O. Binaghi, ASSL Cagliari, Cagliari, Italy; 30. Cardiomyology and Medical Genetics Unit, Università degli Studi della Campania Luigi Vanvitelli Scuola di Medicina e Chirurgia, Napoli, Italy; 31. Section of Neurology, Department of Biomedicine, Neuroscience, and Advanced Diagnostics (BiND), University of Palermo, Palermo, Italy; 32. Neurology Department, Hospital San Francesco of Nuoro, Nuoro, Italy; 33. Department of Neuroscience, Mental Health and Sensory Organs (NESMOS), Sapienza University of Rome, Sant'Andrea Hospital, Rome, Italy; 34. Neuromuscular Omnicentre (NeMO) Trento-Fondazione Serena Onlus, Pergine Valsugana, Italy; 35. Pediatric Neurology Unit, Pediatric Hospital "Giovanni XXIII", Bari, Italy; 36. Child Neuropsychiatry Unit, Paediatric Hospital G Salesi, Ancona, Italy; 37. Institute of Experimental Neurology (INSPE), Division of Neuroscience, IRCCS San Raffaele Scientific Institute, Milan, Italy; 38. National Centre for Rare Diseases, Istituto Superiore di Sanità, Rome, Italy; 39. Sezione di Igiene, Istituto di Sanità Pubblica, Università Cattolica del Sacro Cuore, Rome, Italy.

Equal Author Contribution:

Contributions:

Giorgia Coratti: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data; Study concept or design; Analysis or interpretation of data

Martina Ricci: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Anna Capasso: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

ADELE D'AMICO: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Valeria Sansone: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Claudio Bruno: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Sonia Messina: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Federica Ricci: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Tiziana Mongini: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Michela Coccia: Drafting/revision of the manuscript for content, including medical writing for

content; Major role in the acquisition of data

Elena Pegoraro: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Mara Turri: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Massimiliano Filosto: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Giacomo Comi: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Riccardo Masson: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Lorenzo Maggi: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Irene Bruno: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Maria Grazia D'Angelo: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Antonio Trabacca: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Veria Vacchiano: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

MARIA DONATI: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Isabella Simone: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

LUCIA RUGGIERO: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Antonio Varone: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Lorenzo Verriello: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Angela Berardinelli: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Caterina Agosto: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Antonella Pini: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Maria Antonietta Maioli: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Luigia Passamano: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Filippo Brighina: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Nicola Carboni: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Matteo Garibaldi: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Riccardo Zuccarino: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Delio Gagliardi: Drafting/revision of the manuscript for content, including medical writing for

content; Major role in the acquisition of data

Sabrina Siliquini: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Stefano Previtali: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Domenica Taruscio: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data

Stefania Boccia: Drafting/revision of the manuscript for content, including medical writing for content; Analysis or interpretation of data

MARIA CARMELA PERA: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data; Study concept or design

marika pane: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data; Study concept or design

Eugenio Mercuri: Drafting/revision of the manuscript for content, including medical writing for content; Major role in the acquisition of data; Study concept or design; Analysis or interpretation of data

Figure Count:

2

Table Count:

1

Search Terms:

[56] Prevalence studies, [57] Incidence studies, [176] All Neuromuscular Disease, [227]
All Pediatric

Acknowledgment:

The authors are grateful to the ITASMAC working group. Doctor Pera MC is supported by GR-2018-12365706 (Italian Health Ministry). The work was partially funded from Biogen that are supporting the Italian registry. Funders had no role in the study design; in the collection, analysis, and interpretation of data; in the writing of the report; and in the decision to submit the paper for publication.

Study Funding:

Doctor Pera MC is supported by GR-2018-12365706 (Italian Health Ministry). This research was partially supported by GR-2018-12365706 and Biogen that are supporting the Italian registry. Funders had no role in the study design; in the collection, analysis, and interpretation of data; in the writing of the report; and in the decision to submit the paper for publication.

Disclosures:

G. Coratti, V. Sansone, A. D'Amico, C. Bruno, S. Messina, R. Masson, A. Trabacca, L. Maggi, M.A. Donati, M.C. Pera, F. Ricci, T. Mongini, M. Pane, E. Mercuri report personal fees from BIOGEN S.R.L., ROCHE, AVEXIS and NOVARTIS outside the submitted work; G.P. Comi reports personal fees from ROCHE and NOVARTIS GENE THERAPY outside the submitted work; G. Coratti reports personal fees from GENESIS PHARMA and Biologix outside the submitted work; I. Bruno reports personal fees from Biogen outside the submitted work; E. Pegoraro reports from personal fees from Biogen, Roche; M. Ricci, A. Capasso, M. Coccia, V.

Vacchiano, G. Siciliano, N. Carboni, M. Turri, M. Filosto, G. D'angelo, R Zuccarino, D. Gagliardi, I. Simone, L. Ruggiero, A. Varone, L. Verriello, A. Berardinelli, C. Agosto, A. Pini, M.A. Maioli, S. Siliquini, M. Garibaldi, S. Previtati, F. Brighina, L. Passamano, D. Taruscio, S. Boccia have nothing to disclose.

Preprint DOI:

Received Date:

2022-07-01

Accepted Date:

2022-10-19

Handling Editor Statement:

Submitted and externally peer reviewed. The handling editor was Anthony Amato, MD, FAAN.

Abstract

Objective: Spinal muscular atrophy (SMA) is a neurodegenerative disorder caused by mutations in the SMN1 gene. The aim was to assess the prevalence of SMA and treatment prescription in Italy.

Methods: An online survey was distributed to 36 centers identified by the Italian government as referral centers for SMA. Data on number of SMA patients subdivided according to age, type, *SMN2* copy number and treatment were collected.

Results: 1255 SMA patients are currently followed in the Italian centers with an estimated prevalence of 2.12/100000. Of the 1255, 284 were type I, 470 type II, 467 type III and 15 type IV with estimated prevalence of 0.48, 0.79, 0.79 and 0.02/100000 respectively. Three SMA 0 and 16 presymptomatic patients were also included.

Around 85% were receiving one of the available treatments. The percentage of treated patients decreased with decreasing severity (SMA I: 95.77%, SMA II: 85.11%, SMA III: 79.01%).

Discussion: The results provide for the first time an estimate of the prevalence of SMA at the national level and the current distribution of patients treated with the available therapeutical options. These data provide a baseline to assess future changes in relation to the evolving therapeutical scenario.

Introduction

A recent review summarizing epidemiological data on 5q Spinal muscular atrophy (SMA) reported an overall incidence of 8/100,000, with a marked inter-country variability¹. Type I SMA cases are the most frequent (60%), with type II occurring between 20-27% and type III between 12-20%^{1,2}. Because of the reduced survival (around 5-8% at 2 years) there is a large difference between incidence and prevalence data in type I infants. Studies performed before the advent of the new therapies report prevalence values of 0.04-0.28/100000 for type I and around 1.5/100000 for type II and III³. The aim of the study was to assess the prevalence for SMA and the number of patients treated with the different therapeutic options across Italian reference centers.

Methods

The study includes data from all the 36 centres identified by the Italian government as referral centers for SMA. Approval was granted by the Ethics Committee of Fondazione Gemelli (26/05/2020 N.1894). An online survey was performed to obtain an estimate of the number of patients currently followed and treated. Data were manually collected from hospital medical records

from all patients with a diagnosis of 5qSMA attending the centers. Survey completion rate was 100%. Period prevalence was calculated as the proportion of persons affected by SMA in one year divided by the Italian population at 2021 (59.258.000 persons). A global identifier number was used to avoid patients being recorded more than once. Requests for anonymized data not published within this article should be addressed to the principal investigator (EM). Details on methodology can be found in the eMethods.

Results

There were 1255 5qSMA patients (604 adults, 651 children) across the centers. The estimated prevalence for all cases of SMA, including presymptomatic patients, was 2.12/100000 inhabitants. SMN2 copies were available in 972 of the 1255 (77.45%) (Table 1 and Figure 1).

Type I: this included 284 patients. The estimated prevalence is 0.48/100000. Of the 284, 272 were treated with the new therapies. Figure 2 shows details of the therapies distribution and patients who switched from one therapy to another.

Type II: this included 470 patients. The estimated prevalence is 0.79/100000. Of the 470, 400 patients were treated with the new therapies;

Type III: this included 467 patients. The estimated prevalence is 0.79/100000. Of the 467, 369 were treated with the new therapies. Table 1 reports details of the distribution in all SMA types (0-IV).

Discussion

Our nationwide survey includes 1255 SMA patients with an estimated prevalence of 2.12/100.000 (CI 95%= 0.013-0.029). This value is higher than that (1.81, CI 95%= 0.010-0.026) recorded in 2016 by the Institutional National Registry of Rare Diseases of the ISS. The higher number was only partially influenced by presymptomatic patients as neonatal screening was limited to 2 of the

20 Italian regions. In contrast, the large number of adults previously lost at follow up, going back to the centers to discuss the new treatments⁴, may have contributed. The estimated prevalence of type I was 0.48/100000. This is higher than previously reported (0.04-0.28)³, reflecting the higher survival rate beyond two years compared to the 5-8% reported in natural history studies⁵⁻⁷. Our results confirmed previous findings of a strong association between SMN2 copy number and severity of SMA. In our nationwide cohort copy number was available in nearly 80%, this value reflecting the ongoing effort to obtain this information in patients in whom this was not available.

The survey also allowed to establish the number of treated patients and of possible therapeutic changes over time. The high number of patients currently treated with nusinersen largely reflects the fact that this was the first drug to be approved and the only available option for over three years. At the time of the survey Risdiplam was only available for compassionate use and onasemnogene abeparvovec could only be prescribed to type I infants younger than two years and with a weight below 13.5 Kgs. The percentage of treated patients decreased with decreasing severity. Further follow up will allow to establish how these numbers will change with the recent commercial availability of Risdiplam.

Our results establish for the first time the national prevalence of SMA also subdivided according to types, in the era of disease modifying therapies. Our nationwide registry will allow to monitor changes over time and to capture the evolving scenario due to changes in the drug labels and to a wider distribution of neonatal screening.

Appendix 1: Authors

Name	Location	Contribution
Giorgia Coratti PhD	<i>Pediatric Neurology, Università Cattolica del Sacro Cuore, Rome, Italy Centro Clinico Nemo, Fondazione Policlinico Universitario Agostino Gemelli IRCCS, Rome, Italy</i>	Major role in the acquisition of data; design and conceptualized study; analyzed the data; drafted the manuscript for intellectual content
Martina Ricci MD	<i>Pediatric Neurology, Università Cattolica del Sacro Cuore, Rome, Italy Centro Clinico Nemo, Fondazione Policlinico Universitario Agostino Gemelli IRCCS, Rome, Italy</i>	Design and conceptualized study; analyzed the data; drafted the manuscript for intellectual content
Anna Capasso MD	<i>Pediatric Neurology, Università Cattolica del Sacro Cuore, Rome, Italy Centro Clinico Nemo, Fondazione Policlinico Universitario Agostino Gemelli IRCCS, Rome, Italy</i>	Design and conceptualized study; analyzed the data; drafted the manuscript for intellectual content
Adele D'Amico PhD	<i>Department of Neurosciences, Unit of Neuromuscular and</i>	Design and conceptualized study; analyzed the data;

	<i>Neurodegenerative Disorders, Bambino Gesù Children's Hospital, IRCCS, Rome, Italy</i>	drafted the manuscript for intellectual content
Valeria Sansone PhD	<i>The NEMO Center in Milan, Neurorehabilitation Unit, University of Milan, ASST Niguarda Hospital, Milan, Italy</i>	Major role in the acquisition of data; revised the manuscript for intellectual content
Claudio Bruno PhD	<i>Center of Translational and Experimental Myology, and Dept. of Neuroscience, Rehabilitation, Ophthalmology, Genetics, Maternal and Child Health, University of Genova, IRCCS Istituto Giannina Gaslini, Genova, Italy</i>	Major role in the acquisition of data; revised the manuscript for intellectual content
Sonia Messina PhD	<i>Department of Clinical and Experimental Medicine, University of Messina, Messina, Italy</i>	Major role in the acquisition of data; revised the manuscript for intellectual content
Federica Ricci PhD	<i>AOU Città della Salute e della Scienza di Torino, presidio Molinette e OIRM (SS Malattie neuromuscolari e SC Neuropsichiatria Infantile),</i>	Major role in the acquisition of data; revised the manuscript for intellectual content

	<i>Turin, Italy</i>	
Tiziana Mongini PhD	<i>AOU Città della Salute e della Scienza di Torino, presidio Molinette e OIRM (SS Malattie neuromuscolari e SC Neuropsichiatria Infantile), Turin, Italy</i>	Major role in the acquisition of data; revised the manuscript for intellectual content
Michela Coccia MD	Department of Neurological Sciences, AOU Ospedali Riuniti di Ancona, Ancona, Italy	Major role in the acquisition of data; revised the manuscript for intellectual content
Gabriele Siciliano PhD	AOU Pisana (Department of Clinical and Experimental Medicine), Neurology Unit, Pisa, Italy	Major role in the acquisition of data; revised the manuscript for intellectual content
Elena Pegoraro PhD	Neurology Unit, Azienda Ospedale Padova, Padua, Italy	Major role in the acquisition of data; revised the manuscript for intellectual content
Mara Turri MD	Department of Neurology/Stroke Unit, Bolzano Hospital, Bolzano, Trentino-Alto Adige, Italy	Major role in the acquisition of data; revised the manuscript for intellectual content

Massimiliano Filosto PhD	Department of Clinical and Experimental Sciences, University of Brescia (Italy); NeMO-Brescia Clinical Center for Neuromuscular Diseases, Brescia (Italy)	Major role in the acquisition of data; revised the manuscript for intellectual content
Giacomo P. Comi PhD	Neurology Unit, Fondazione IRCCS Ca' Granda Ospedale Maggiore Policlinico, Milan, Italy and Dino Ferrari Center, Department of Pathophysiology and Transplantation, University of Milan, Milan, Italy	Major role in the acquisition of data; revised the manuscript for intellectual content
Riccardo Masson MD	Fondazione IRCCS Istituto Neurologico Carlo Besta Developmental Neurology Unit, Milan, Italy	Major role in the acquisition of data; revised the manuscript for intellectual content
Lorenzo Maggi MD	Neuroimmunology and Neuromuscular Disorders Unit, Fondazione IRCCS Istituto Neurologico Carlo Besta, Milan, Italy	Major role in the acquisition of data; revised the manuscript for intellectual content
Irene Bruno PhD	Institute for Maternal and Child Health, IRCCS, Burlo	Major role in the acquisition of data; revised the manuscript

	Garofolo, Trieste, Italy	for intellectual content
Grazia D'angelo PhD	NeuroMuscular Unit, Scientific Institute IRCCS E. Medea, Bosisio Parini (Lecco), Italy	Major role in the acquisition of data; revised the manuscript for intellectual content
Antonio Trabacca MD	<i>Scientific Institute IRCCS "E. Medea", Unit for Severe disabilities in developmental age and young adults (Developmental Neurology and Neurorehabilitation), Brindisi, Italy</i>	Major role in the acquisition of data; revised the manuscript for intellectual content
Veria Vacchiano MD	UOC Clinica Neurologica, IRCCS Institute of Neurological Sciences of Bologna, Bologna, Emilia- Romagna, Italy	Major role in the acquisition of data; revised the manuscript for intellectual content
Maria Alice Donati MD	<i>Metabolic Unit, A. Meyer Children's Hospital, 50139 Florence, Italy</i>	Major role in the acquisition of data; revised the manuscript for intellectual content
Isabella Laura Simone MD	Neurology unit, Azienda Ospedaliero-Universitaria, Policlinico Bari "Amaducci", Bari, Italy	Major role in the acquisition of data; revised the manuscript for intellectual content
Lucia Ruggiero PhD	Department of Neurosciences,	Major role in the acquisition

	Reproductive Sciences and Odontostomatology, University of Naples Federico II, Naples, Italy	of data; revised the manuscript for intellectual content
Antonio Varone MD	Department of Neurosciences, Pediatric Neurology, Santobono-Pausilipon Children's Hospital, Naples, Italy	Major role in the acquisition of data; revised the manuscript for intellectual content
Lorenzo Verriello MD	<i>Neurology Unit, Department of Neurosciences, University Hospital Santa Maria della Misericordia, Udine, Friuli-Venezia Giulia, Italy</i>	Major role in the acquisition of data; revised the manuscript for intellectual content
Angela Berardinelli MD	Department of Child Neuropsychiatry, Fondazione Istituto Neurologico Nazionale C Mondino Istituto di Ricovero e Cura a Carattere Scientifico, Pavia, Italy	Major role in the acquisition of data; revised the manuscript for intellectual content
Caterina Agosto MD	Dipartimento di Salute della Donna e del Bambino, Università di Padova, Padua, Italy	Major role in the acquisition of data; revised the manuscript for intellectual content
Antonella Pini PhD	IRCCS Istituto delle Scienze	Major role in the acquisition

	Neurologiche di Bologna- UOC Neuropsichiatria Infantile, Bologna, Italy	of data; revised the manuscript for intellectual content
Maria Antonietta Maioli PhD	Centro Sclerosi Multipla, P.O. Binaghi, ASSL Cagliari, Cagliari, Italy	Major role in the acquisition of data; revised the manuscript for intellectual content
Luigia Passamano PhD	Cardiomyology and Medical Genetics Unit, Università degli Studi della Campania Luigi Vanvitelli Scuola di Medicina e Chirurgia, Napoli, Italy	Major role in the acquisition of data; revised the manuscript for intellectual content
Filippo Brighina MD	Section of Neurology, Department of Biomedicine, Neuroscience, and Advanced Diagnostics (BiND), University of Palermo, Palermo, Italy	Major role in the acquisition of data; revised the manuscript for intellectual content
Nicola Carboni MD	Neurology Department, Hospital San Francesco of Nuoro, Nuoro, Italy	Major role in the acquisition of data; revised the manuscript for intellectual content
Matteo Garibaldi PhD	Department of Neuroscience,	Major role in the acquisition

	Mental Health and Sensory Organs (NESMOS), Sapienza University of Rome, Sant'Andrea Hospital, Rome, Italy	of data; revised the manuscript for intellectual content
Riccardo Zuccarino MD	Neuromuscular Omnicentre (NeMO) Trento-Fondazione Serena Onlus, Pergine Valsugana, Italy	Major role in the acquisition of data; revised the manuscript for intellectual content
Delio Gagliardi MD	Pediatric Neurology Unit, Pediatric Hospital "Giovanni XXIII", Bari, Italy	Major role in the acquisition of data; revised the manuscript for intellectual content
Sabrina Siliquini PhD	Child Neuropsychiatry Unit, Paediatric Hospital G Salesi, Ancona, Italy	Major role in the acquisition of data; revised the manuscript for intellectual content
Stefano Previtali PhD	Institute of Experimental Neurology (INSPE), Division of Neuroscience, IRCCS San Raffaele Scientific Institute, Milan, Italy	Major role in the acquisition of data; revised the manuscript for intellectual content
Domenica Taruscio MD	National Centre for Rare Diseases, Istituto Superiore di Sanità, Rome, Italy	Design and conceptualized study; analyzed the data; revised the manuscript for intellectual content

Stefania Boccia PhD	Sezione di Igiene, Istituto di Sanità Pubblica, Università Cattolica del Sacro Cuore, Rome, Italy	Analyzed the data; revised the manuscript for intellectual content
Maria Carmela Pera PhD	<i>Pediatric Neurology, Università Cattolica del Sacro Cuore, Rome, Italy Centro Clinico Nemo, Fondazione Policlinico Universitario Agostino Gemelli IRCCS, Rome, Italy</i>	Design and conceptualized study; analyzed the data; drafted the manuscript for intellectual content
Marika Pane PhD	<i>Pediatric Neurology, Università Cattolica del Sacro Cuore, Rome, Italy Centro Clinico Nemo, Fondazione Policlinico Universitario Agostino Gemelli IRCCS, Rome, Italy</i>	Design and conceptualized study; analyzed the data; drafted the manuscript for intellectual content
Eugenio Mercuri MD, PhD	<i>Pediatric Neurology, Università Cattolica del Sacro Cuore, Rome, Italy Centro Clinico Nemo, Fondazione Policlinico Universitario Agostino Gemelli IRCCS, Rome, Italy</i>	Major role in the acquisition of data; design and conceptualized study; analyzed the data; drafted the manuscript for intellectual content

ACCEPTED

WNL-2022-201479_emth --<http://links.lww.com/WNL/C506>

WNL-2022-201479_coinvestigator_appendix -- <http://links.lww.com/WNL/C507>

References

1. Verhaart IEC, Robertson A, Leary R, et al. A multi-source approach to determine SMA incidence and research ready population. *J Neurol* 2017;264:1465-1473.
2. Ogino S, Wilson RB, Gold B. New insights on the evolution of the SMN1 and SMN2 region: simulation and meta-analysis for allele and haplotype frequency calculations. *Eur J Hum Genet* 2004;12:1015-1023.
3. Verhaart IEC, Robertson A, Wilson IJ, et al. Prevalence, incidence and carrier frequency of 5q-linked spinal muscular atrophy - a literature review. *Orphanet J Rare Dis* 2017;12:124.
4. Sansone VA, Coratti G, Pera MC, et al. Sometimes they come back: New and old spinal muscular atrophy adults in the era of nusinersen. *Eur J Neurol* 2020.
5. Finkel RS, McDermott MP, Kaufmann P, et al. Observational study of spinal muscular atrophy type I and implications for clinical trials. *Neurology* 2014;83:810-817.
6. Kolb SJ, Coffey CS, Yankey JW, et al. Natural history of infantile-onset spinal muscular atrophy. *Ann Neurol* 2017;82:883-891.
7. Wijngaarde CA, Stam M, Otto LAM, et al. Population-based analysis of survival in spinal muscular atrophy. *Neurology* 2020;94:e1634-e1644.

Figures

Figure 1. Frequency of SMN2 copy numbers in patients with SMA. Key to figure: (a)

Frequency of SMN2 copy numbers according to SMA type (b) frequency of SMA types according to SMN2 copy number. The SMA III patient with SMN1 copy= 1+G287R was not included in the figure as this is a positive modifier of the SMA phenotype.





Figure 2. Distribution of SMA I patients among available treatments. Colour key: Blue= Switched from Nusinersen to Risdiplam/Zolgensma, Orange= Switched from Risdiplam to Nusinersen/Zolgensma, Green= Switched from Zolgensma to Risdiplam/Nusinersen, Dashed grey= Remained on the same treatment, no switch was recorded.



Tables

Characteristics	N (%)
Adults	604 (48.13%)
Pediatric	651 (51.87%)
SMA type	1255 (100%)
<i>Pre-symptomatic</i>	16 (1.27%)
<i>Type 0</i>	3 (0.24%)
<i>Type I</i>	284 (22.63%)
<i>Type II</i>	470 (37.45%)
<i>Type III</i>	467 (37.21%)
<i>Type IV</i>	15 (1.20%)
SMN2 copy number	
<i>1 SMN2</i>	8 (0.64%) SMA 0: 3 SMA I: 4 SMA III: 1 (+G287R)
<i>2 SMN2</i>	312 (24.86%) SMA I: 211 SMA II: 62 SMA III: 32 PRESYMPTOMATIC: 7
<i>3 SMN2</i>	455 (36.25%) SMA I: 37 SMA II: 261

		SMA III: 153 SMA IV: 1 PRESYMPTOMATIC: 3
≥ 4 SMN2	197 (15.70%)	SMA I: 3 SMA II: 15 SMA III: 168 SMA IV: 5 PRESYMPTOMATIC: 6
Unknown SMN2	283 (22.55%)	SMA I: 29 SMA II: 132 SMA III: 113 SMA IV: 9
Patients treated with disease modifying therapies		
Type I	272/284 (95.77%)	Nusinersen: 127/272 (46.69%) Risdiplam: 38/272 (13.97%) Onasemnogene abeparvovec: 51/272 (18.75%) Clinical trials: 56/272 (20.59%)
Type II	400/470 (85.11%)	Nusinersen: 163/400 (40.75%) Risdiplam: 148/400 (37.00%) Clinical trials: 89/400 (22.25%)

	<p><i>Type III</i> 369/467 (79.01%)</p> <p>Nusinersen: 321 (68.74%)</p> <p>Risdiplam: 23 (4.92%)</p> <p>Clinical trials: 25 (5.35%)</p>
--	---

Table 1. Epidemiological characteristics and *SMN2* copies of SMA patients in 35 Italian reference centers

ACCEPTED

Neurology®

Prevalence of Spinal Muscular Atrophy in the Era of Disease-Modifying Therapies: An Italian Nationwide Survey

Giorgia Coratti, Martina Ricci, Anna Capasso, et al.
Neurology published online December 2, 2022
DOI 10.1212/WNL.0000000000201654

This information is current as of December 2, 2022

Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/early/2022/12/02/WNL.0000000000201654.full
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): All Neuromuscular Disease http://n.neurology.org/cgi/collection/all_neuromuscular_disease All Pediatric http://n.neurology.org/cgi/collection/all_pediatic Incidence studies http://n.neurology.org/cgi/collection/incidence_studies Prevalence studies http://n.neurology.org/cgi/collection/prevalence_studies
Permissions & Licensing	Information about reproducing this article in parts (figures,tables) or in its entirety can be found online at: http://www.neurology.org/about/about_the_journal#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/subscribers/advertise

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright Copyright © 2022 The Author(s). Published by Wolters Kluwer Health, Inc. on behalf of the American Academy of Neurology.. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.

