Section Editors

Johan A. Aarli, MD
Oded Abramsky, MD,
PhD, FRCP

A health systems constraints analysis for neurologic diseases

The example of Timor-Leste

Farrah J. Mateen, MD
Nelson Martins, MD,
PhD

Correspondence to
Dr. Mateen:
fmateen@partners.org

ABSTRACT

Neurologic care exists within health systems and complex social, political, and economic environments. Identification of obstacles within health systems, defined as “constraints,” is crucial to improving the delivery of neurologic care within its macroclimate. Here we use the World Health Organization’s 6 building blocks of a health system to examine core services for priority interventions related to neurologic disease: (1) service delivery; (2) health workforce; (3) information; (4) medical products, vaccines, and technologies; (5) financing; and (6) leadership and governance. We demonstrate the use of a constraints analysis for neurologic disorders using the example of Timor-Leste, a newly sovereign and low-income country, which aims to improve neurologic care in the coming years. **Neurology® 2014;82:1274-1276**

Neurologic care exists within health systems and complex environments. A health system that functions well delivers “quality services to all people, where and when they need them.”¹ Unlike traditional disease-, risk factor-, or resource-based approaches, health systems-based analyses permit a comprehensive approach to understanding neurologic care that incorporates economic, social, and political influences on health.

All health systems are imperfect. According to the World Health Organization (WHO), an ideal health system prioritizes equity of service delivery, improves the health of both individuals and communities, engages the participation of end users, and protects against health threats and the negative financial consequences of ill health.¹ Identification of obstacles within health systems, defined as constraints, is crucial to improving the delivery of neurologic care within its macroclimate. A constraints analysis provides a conceptual approach to understanding well-known barriers to neurologic care and helps identify which interventions would most succeed at addressing them. For example, an absolute scarcity of resources is one of the most important constraints to neurologic care worldwide. Many scarcity issues can be solved by an infusion of funding; however, relaxation of constraints requires more than just funding. For it is not just the amount of money spent but rather how it is spent that can substantially improve neurologic care. In yet other cases, money itself may be unable to relax constraints on care provision since barriers to neurologic care may exist beyond the health system, including social limits to adoption of new technologies and the time required to achieve collective health goals.²

We are unaware of a constraints analysis for neurologic care in any country. We analyze the WHO’s 6 building blocks of a health system and use Timor-Leste as an example to study core interventions and priority interventions (table 1). Timor-Leste was the first new sovereign state of the 21st century after gaining independence from Indonesia in 2002. It currently ranks 147th on the United Nations Human Development Index and is considered the poorest country in Asia. We focus on prevalent conditions to illustrate the building blocks of a health system related to neurologic care.

From the Department of International Health (F.J.M.), The Bloomberg School of Public Health, The Johns Hopkins University, Baltimore, MD; and Faculty of Medicine and Health Sciences (N.M.), National University of Timor-Leste, Dili. F.M. is currently with the Department of Neurology, Massachusetts General Hospital, and Harvard Medical School, Boston.

Go to Neurology.org for full disclosures. Funding information and disclosures deemed relevant by the authors, if any, are provided at the end of the article.

Table 1 The 6 building blocks of a health system according to the World Health Organization

Building blocks	Example of type of intervention	Example of possible intervention related to neurologic disease
Service delivery	Integrated package of services	Incorporation of stroke awareness and hypertension management at health posts
Health workforce	Training	Introduction of a training module for midwives to recognize signs of eclampsia
Information	Tracking performance	Employment of a medical records system for the outcomes of patients treated with antiepileptic drugs
Medical products, vaccines, and technologies	Procurement of a reliable supply of antibiotics	Adequate access to medications and CSF tests for patients with suspected meningitis at hospitals
Financing	Protecting vulnerable groups through equitable use of funds	Ensuring affordability or price reduction of essential medicines for neurologic disease at rural and remote locations
Leadership and governance	Collaboration and coalition with actors outside of the government	Development of a framework to address traumatic head injury related to road traffic accidents with the assistance of other national governments, academic institutions, and international nongovernmental organizations

SERVICE DELIVERY This includes raising demand for services, integrating services, organizing and managing providers, and ensuring appropriate infrastructure.¹ Several examples of low demand for neurologic care are apparent in Timor-Leste. Awareness of neurologic disorders and their major risk factors is generally limited. Poverty, strong beliefs in traditional medicine and healers, and low levels of education are barriers to people seeking care. The poor condition of roads in mountainous terrain makes transport especially difficult for patients in rural and remote settings. In the Guido Valadares National Referral Hospital in the capital city of Dili, preventable diseases such as tetanus and eclampsia are seen with regularity. Individuals in rural villages do not routinely seek preventive care and often present late in the disease course. Although every major district in Timor-Leste is supplied with carbamazepine, some health districts report zero cases of epilepsy diagnosed in children younger than 5. Other disorders such as poststroke hypertension are treated for 30 days with little follow-up. There remain no targeted programs for neurologic diseases beyond epilepsy, with limited integration of neurologic care into existing community-based health services.

HEALTH WORKFORCE Timor-Leste, like many low-income countries, has no permanent neurologist. There is 1 visiting Cuban neurologist and no neurology training program. The Faculty of Medicine and Health Sciences was recently established within the Timor-Leste National University. The Cuban Medical Institution trains many Timorese students who will return to Timor-Leste to become physicians. By 2017, it is anticipated there will be approximately 700 newly graduated physicians. The goal is for each village to have at least 1 physician, for a targeted ratio of 1 physician per 2,000 people by 2020. The incorporation of neurologic disease care into the training of physicians, nurses, midwives, pharmacists, and allied specialties will be crucial so that the

workforce is aware of common neurologic problems and when to refer to higher levels of care. Currently, medical practitioners in the national hospital are from many different countries outside of Timor-Leste and have no common working language within the Timorese medical system.

INFORMATION Surveillance practices capture neurologic diseases—specifically epilepsy and dementia—with variable success.³ National information systems and records systems are not organized to record most diseases. More importantly, health care workers are unable to fully recognize and diagnose neurologic disorders in many cases, making recorded data imperfect. Relationships with nongovernmental organizations have led to the distribution of information on epilepsy awareness for entry-level health providers at the district and subdistrict levels nationally. Measuring performance of existing efforts, implementing tools to ensure use of *International Classification of Disease* codes,⁴ and national surveillance for neurologic infectious diseases are required.

MEDICAL PRODUCTS, VACCINES, AND TECHNOLOGIES All diagnostic equipment, crucial for neurologic care in most settings, is absent. For example, there is no EEG, EMG, imaging modality other than ultrasound, or functioning laboratory testing. There is 1 CT scanner, which has not been operational for several years in spite of efforts to have it fixed. There are no manufacturers of medicines in the country, requiring importation of all essential medicines. Drug stock outs, including essential antibiotics, are routine. Laboratory testing outside of the capital is even more limited and includes only blood glucose, acid-fast bacillus smear, urine β -human chorionic gonadotropin, and HIV tests. Emergency care is not routine. Donated ambulances exist but were noted to lack fuel in some locations.

FINANCING Planning and coordination for chronic diseases have been considered important in recent

Table 2 Levels of constraints that may be experienced within a health system

Level of constraint	Example of constraint related to neurologic disease
Community and household-level constraints	Limited demand to complete vaccination schedules for preventable neurologic disorders such as tetanus
Health services delivery	No neurologic training program or lecture series for health care professionals within the country
Health sector policy and strategic management level	Need for long-term plan to address neurologic disorders related to aging, such as dementia and stroke
Public policies cutting across sectors	Low availability of information technology and access to cellular phone networks

years but fall below priorities to combat diarrhea, tuberculosis, and malaria. Vertical programming initiatives through large global funders emphasize communicable diseases and programs in Timor-Leste. Approaches to maternal-child health have also been major priorities with external financial investment. Reliance on donor funding since the violent breakup of the country in 1999 has created external influences on health priorities. There may be several ways to improve the efficiency of neurologic care in the future and help patients avoid personal financial catastrophe in the face of stroke, acute flaccid paralysis, and trauma.

LEADERSHIP AND GOVERNANCE In the past 10 years, the government of Timor-Leste and its partners, including many nongovernmental organizations, have expanded health services to reach communities in rural villages through health posts, mobile clinics, and monthly integrated community health services. This model can be expanded to include disorders that will become prominent with the epidemiologic transition, including traumatic brain and spinal cord injury from road traffic accidents and stroke and dementia in the aging population. The need to address postinfectious disabilities, such as the sequelae of cerebral malaria, demonstrates the value of expanding the continuum of care to rehabilitation. Infrastructure available to the Timorese people is limited in general. Focus on the core issues of water and sanitation, telecommunications, and higher education would enable development in general.

FUTURE DIRECTIONS By articulating the type and level of constraints for neurologic care, it may become easier to address and target the core needs of neurologic patients (table 2). A constraints analysis demonstrates how major international stakeholders can influence the provision of neurologic care, for example by focusing external funding on a disease of local need in the most useful ways. It also demonstrates that merely having available and affordable medications, such as carbamazepine for epilepsy, does not lead to improvements in treatment unless health care workers are educated and

neurologic expertise is more permanent. There is a reciprocal relationship between encouraging people to seek care for neurologic disease in Timor-Leste and ensuring adequate care available.

Constraints are identified because they may be rapidly or gradually overcome.⁵ Since governments in many countries are aware of the ever-increasing burden of neurologic disease, a framework on how best to identify, treat, and prevent neurologic disease through health systems approaches will be crucial to scaling up sustainable care in many locations.

AUTHOR CONTRIBUTIONS

Dr. Mateen was responsible for data acquisition, data interpretation, writing, and editing the manuscript. Dr. Martins was responsible for data acquisition, data interpretation, writing, and editing the manuscript.

ACKNOWLEDGMENT

The authors thank Professor Robert E. Black, MD, MPH, Department of International Health, The Johns Hopkins University, Baltimore, MD, and Iris Hamelberg, London School of Tropical Medicine and Hygiene and Ministry of Health Timor-Leste, for comments and suggestions during the preparation of this manuscript.

STUDY FUNDING

No targeted funding reported.

DISCLOSURE

F. Mateen is supported by a grant from the Canadian Institutes of Health Research and the Johns Hopkins Bloomberg School of Public Health Sommer Scholars Program. N. Martins reports no disclosures relevant to the manuscript. Go to Neurology.org for full disclosures.

REFERENCES

1. World Health Organization. Everybody's business: strengthening health systems to improve health outcomes. In: WHO's Framework Action. Geneva: WHO; 2007.
2. Hanson K, Ranson MK, Oliveira-Cruz V, Mills A. Expanding access to priority health interventions: a framework for understanding the constraints to scaling-up. *J Int Dev* 2003;15:1–14.
3. Government of Timor-Leste. National Mental Health Strategy 2011–2015 for a Mentally Healthy Timor-Leste. Dili: Government of Timor-Leste; 2011.
4. Mateen FJ, Dua T, Shen GC, Reed GM, Shakir R, Saxena S. Neurological disorders in the 11th revision of the International Classification of Diseases. *Lancet Neurol* 2012;11:484–485.
5. Travis P, Bennett S, Haines A, et al. Overcoming health-systems constraints to achieve the Millennium Development Goals. *Lancet* 2004;364:900–906.

Neurology®

A health systems constraints analysis for neurologic diseases: The example of Timor-Leste

Farrah J. Mateen and Nelson Martins

Neurology 2014;82;1274-1276

DOI 10.1212/WNL.0000000000000281

This information is current as of April 7, 2014

Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/82/14/1274.full
References	This article cites 3 articles, 0 of which you can access for free at: http://n.neurology.org/content/82/14/1274.full#ref-list-1
Citations	This article has been cited by 1 HighWire-hosted articles: http://n.neurology.org/content/82/14/1274.full##otherarticles
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): Access to care http://n.neurology.org/cgi/collection/access_to_care All Health Services Research http://n.neurology.org/cgi/collection/all_health_services_research All Infections http://n.neurology.org/cgi/collection/all_infections Health systems http://n.neurology.org/cgi/collection/health_systems Medical care http://n.neurology.org/cgi/collection/medical_care
Permissions & Licensing	Information about reproducing this article in parts (figures,tables) or in its entirety can be found online at: http://www.neurology.org/about/about_the_journal#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/subscribers/advertise

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2014 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.